\$ g-20-62, This well is classified as a water injection well a is now sheet in wa ing on water injection will. Started injecting was of April, 1962

V

Scout Report sent out

Noted in the NID File

Location map pinned

Approval or Disapproval Letter

Date Completed, P. & A, or operations suspended

Pin changed on location map

Affidevit and Record of A & P

Water Shut-Off Test

Gas-Oil Ratio Test

Well Log Filed

intered in NID File Entered On S R Sheet Entered On S R Sheet	Checked by Chief Copy NID to Field Office Approval Leiter Disapproval Letter	4
Cocation Map Pinned Card Indexed W R for State or Fee Land COMPLETION DATA: Date Well Completed OW. TA. GW. OS. PA	21-58 Location Inspected Bond released State of Fee Land	
5-14-5	18	Micro

THE PURE OIL COMPANY

Date January 22, 1958	LOCATIO	ON REPORT	A.F.E. No	22 3
Division Rocky Mountain Pro	oducing District Aneth	Lease Nav	rajo 14-20-6	03-2056
	Lease No. 7064	Bik.		
Quadrangle SEISWI	Sec. 34 Twp. 40 S	Rge. 24 E Dist.		
Survey Salt Lake Meridia	an County San	Juan s	tateU ta h	
Operator The Pure Oil Con	npany	Man	•	
Feet from """ """ Feet from """ 815' """ 1360' """	m North Line of Lease East """ South """ West """ m North Line of Section East """ South """	-∰- Gas Well ● Oil Well -∰- Gas – Distillate W Øor-∯- Dry Hole	LEGEND O Location O	
		Dry Showing Oil	/ -	Abandoned Oil Well Input Well
				N
	PURE ET AL	PURE ET AL	*2.	
	NAVAJO TRIBE	1860' 34B4 815' NAVAJO TRIBE		
	5.57 4 12.31 3 12.01 2 20.02	25.10 41 20.08 31 2-5.81	912.46 G123.42	
		7-1.2		
The Ohio Oil Co	ompany (Operator) - 33-1, ompany - 33-1,	/3%	•••	cale 2"=1 mile
Sun OII Company	_ 33-1,	(3%		
Submitted by	•	Annual Lu	. • • • • • • • • • • • • • • • • • • •	
Submitted by	ىلىدىنىكىدىنىدىن كالمىكىكى كىلىدى كاستى Civ'≀ finginoer	Approvéd by	en er en en en enemer en	Cavision Manager

Vice-President General Manager

(SUBMIT IN DUPLICATE)

LA.	NΠ

	! !	1	
-	-		
İ			i
	j		i
1	1		Ì

STATE OF UTAH OIL & GAS CONSERVATION COMMISSION

STATE CAPITOL BUILDING SALT LAKE CITY 14. UTAH

Fee and Patented
State
Lease No
Public Domain
Lease No
Indian
Lease No. 1.1 20-603-205

SUNDRY NOTICES AND REPORTS ON WELLS

SUNDRY	NOTICES AND	U REPORTS ON W	ELLS
Notice of Intention to Drill Notice of Intention to Change F Notice of Intention to Redrill or Notice of Intention to Pull or A Notice of Intention to Abandon	Plans Repairlter Casing	Subsequent Report of Water Subsequent Report of Altering Subsequent Report of Redrilli Supplementary Well History	g Casing
/IND	ICATE AROVE BY CHECK MARK NAT	URE OF REPORT, NOTICE, OR OTHER DATA)	· · · · · · · · · · · · · · · · · · ·
···-		January 23,	19 58
Aneth Well No. 31—Bh is loca	ted815. ft, from \(\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\fin}}}}}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\fir}}}}{\firac{\frac{\fir}{\fir}}}}}}{\frac{\frac{\frac{\fir}{\fig}}}}}}{\frac{\frac{\frac{\fir}{\firighta}}}}{\frac{\frac{\frac{\firic}{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\frac{\f	line and 1860 ft. from \(\frac{1}{V}	
SE l SW ¹ Sec. 3h	140-8	2) 1-B	Salt Lake
(¼ Sec. and Sec. No.)	(Twp.)	(Mange)	(Maisman)
Aneth (Field)	San Juan	or Subdivision)	(State or Territory)
The proposed Casing program 50 = 13-3/8 OD (1500 = 9-5/8 OD (Casing cemented to	surface	
5900' - 5-1/2" OD		•	
Estimated total depth 6,	0001		
The principle Objective	is the Paradox Dolo	omite.	
-		writing by the Commission before op	perations may be commenced.
Company The Pure Oil C	ompany	·····	***************************************
Address 1700 Broadway		By T. L. Warburton	hon
Denver2,Colo	rado	Title Division Chief Prod	uction Clerk

INSTRUCTIONS: A plat or map must be attached to this form showing the location of all leases, property lines, drilling and producing wells, within an area of sufficient size so that the Commission may determine whether the location of the well conforms to applicable rules, regulations and orders.

The Pure Oil Company 1700 Broadway Denver 2, Colorado

Attention: T. L. Warburton, Division Chief Production Clerk

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Aneth 34-B 4, which is to be located 815 feet from the south line and 1860 feet from the west line of Section 34, Township 40 South, Range 24 East, SIEM, San Juan County, Utah.

Please be advised that insofar as this office is concerned, approval to drill said well is hereby granted.

This approval terminates within 90 days if the above mentioned well is not spudded in within said period.

Yours very truly,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FRIGHT SECRETARY

CBF:en

cc: Phil McGrath USGS, Farmington, New Mexico

MINTH TOPYCT

PURE - SUN - ONTO, JOINT ACCOUNT

ATT 34-84

SE SE Sec. 34, 7. 408., 8. 248.

MG' FEL & 1880' FEL

SAN JUAN COUNTY, FTAR

SPUMPED JAMEARY 23, 1968

COMPLETED FEBRUARY 21, 1968

SAMPLE AMALISTS BY M. C. RASMUSSER

FORMATION TORS

Formation	Sample Top	Lec. Log Top	Setem
*avajo	745	745	A5905
Kayonta			<i>f</i> -
Wingste	1186	1171	#5477
Chinle	1507	1527	A3121
Shinaruap	2612	2615	/2055
De Chelly	2676	2677	A 971
Organ Rock	2792	2795	A 855
Coder * ese			
Sermona.	4593	4605	f 45
Paradox "A"	5412	5412	- 764
Bredox """	5552	5555	- 907
Peradox "C"	8561	5564	- 916
Total Cepth -	5605	5804	- 956

Set 13-5/8" conductor at 45' E.B.

690 - 720 Sandstone, orange, fine to medium grain, sub-rounded, slightly celeareces.

720 - 750 As above; w/shele, red to brown and brown, externous.

Savaje gendatene 745'.

750 - 780 Shale, brown to red-brown, milty, externous; w/sandstone, as above; w/shale, green, fine texture.

780 - 810 Shale, as above; w/sandstone, buff, fine to medium grain, sub-rounded, calcareous, very friable.

810 - 880 Sandstone, as above.

860 - 970 Sandstone, buff, fine to medium grain, sub-rounded, caleareous, friable.

870 - 900 As above.

900 - 980 Sandstone, as above; w/shale, red to brown, and shale, green, silty, calcareous.

950 - 960 As above,

980 - 980 Sandstone, buff, fine to medium grain, sub-rounded, friable, calcareque; w/shale, brown and red-brown, silty, calcareque.

990 - 1080 Sandstone, as above; w/shale, as above.

1020 - 1050 As above.

1080 - 1080 As above.

1080 - 1110 As above.

1110 - 1150 Sandstone, buff, fine to medium grain, sub-rounded, friable, calcareous; w/ehele, brown and red to brown, calcareous.

1150 - 1160 Shale, brown and gray, silty, calcureous; w/sandstone, as above.

1160 - 1190 As above; w/sandstone, orange, fine grain, sub-rounded, slightly estarrous.

1190 - 1220 Sandstone, as above.

1220 - 1260 As above; trece shale, red to brown, calcareous.

1260 - 1260 Sandstone, orange, fine grain, sub-rounded; w/trace shale, red to brown, calcareous.

1280 - 1810 No semple.

1810 - 1840 Sendstone, as above; w/shale, brown, silty, calcarecus.

1540 - 1570 As abeve.

1870 - 1400 Sandstone and shale, as above.

1400 - 1450 Sandstone, buff to orange, fine grain, friable, sub-raunded; v/trace shale, red to brown, fine texture, calesreous.

1480 - 1460 As above.

1460 - 1480 As above, becoming slightly coarser grained; increasing in shale, redbrown, calcareous.

1490 - 1525 As above; w/shale, brown and brown to red, calcareous.

Top Chinle 8 1507'.

Set 9-5/8" surface coming at 1522' w/800 socks, 50-50 posmix, 150 secks regular coment.

1525 - 1550 Shale, red to brown and brown, fine texture, slightly calcareous; much candatone. from above.

1550 - 1580 As above.

1580 - 1810 Shale, as above.

1610 - 1640 Shele, as above; w/shele, green, fine texture, calcareces.

1840 - 1870 As above.

1870 - 1700 Trace shale, red to brown, slightly silty, calcareous; w/much sandstone, orange (may be washout from behind surface easing).

1700 - 1780 As above.

1780 - 1760 Shale, brown, gray and red to brown, slightly silty, calcareous.

1766 - 1790 As above (still much sendstone in samples).

1790 - 1820 As above; w/shale, green, fine texture.

1880 - 1880 Shale, brown, red to brown and gray, slightly silty, slightly calcareous; trace sandatone, white, medium grain, calcareous. ("weh orange sandatone, fine.)

1850 - 1880 As above.

1880 - 1910 As above (still much sendatore.

1910 - 1940 Shale and miltotone, erange to brown, calcareous, slightly sandy, calcareous; w/shale, gray, silty, calcareous.

1940 - 1970 As above, w/much coment in sample.

1970 - 2000 Siltatone, orange to brown, calcareous; w/shale, brown, silty, calcareous, much coment in sample.

2000 - 2080 Shale and militatone, orange to brown and red to brown, calcareous.

2080 - 2060 As above (trace cament).

2060 - 2080 Shale, red to brown, silty to fine texture, calcareous; w/siltstone, orange to brown, calcareous.

2000 - 2120 As above.

2120 - 2150 Shale and siltatone, orange to brown, emloareous,

2150 - 2180 As above; w/trace shale, gray, silty, calcareous,

2180 - 2210 Shele, red to brown, silty, calcureous; w/trace nodular limestone, gray, fine crystalline to sub-lithographic.

2210 - 2240 As above.

2240 - 2270 As above, less limestone.

2270 - 2500 Shale, brown and red to brown, silty, calcareous, inhedded w/shale, green, calcareous.

2300 - 2350 As above.

2550 - 2550 As above; w/nodular limestone, gray, fine crystalline.

2560 - 2580 As above; w/limestone, red to brown, very fine erystalline.

2590 - 2420 As above; w/siltatone, erange to brown, ealesrooms.

2420 - 2450 Shale and siltatone, red to brown, calcureous, inbodded w/shale, green, esleareous; w/limestone, red to gray, esystalline.

2450 - 2460 As above.

2440 - 2510 As above: w/increase in shale, gray to green, silty, calcarooms.

2510 - 2540 As above; w/shale, green, fine texture.

2540 - 2570 As shove; w/shale, lavendar to marcon, fine texture.

2570 - 2600 Shale, brown, red to brown and grey, silty, caleareous; trace nodular limestone.

2000 - 2050 is above; w/mach conglements material, large pebbly quarts grains; w/sendstone, white, source.

Shinerung conclemente 2012'

2050 - 2660 As above, much conglemerate material.

2660 - 2680 As above, many large, rounded quarts grains; w/sandstone, bronge, course, ellegarous, arbosis.

De Chelly sandstone * 2676'.

2690 - 2720 As above, w/increase in ertesia sandatone.

2720 - 2750 Sandstone, orange, fine grain, sub-rounded, arkesic, slightly calcareous.

2750 - 2780 As above.

27%0 - 2810 As above.

2810 - 2840 Siltetone, orange to brown; w/shale, brown and shale, green, calcureous.

2840 - 2870 As above.

2870 - 2900 Siltetene, arange, brown, slightly salesresus, inbedded w/shele, green and shele, lavender.

2900 - 2980 As above.

2980 - 2960 Shale, green, gray and lavender, fine texture.

2980 - 2980 As above; w/shale, brown, silty, and siltstone, orange to brown, salesreous.

2990 - 5020 As abovo.

3020 - 3050 Shale, green and levendar, fine texture; w/shale, red to brown, slightly silty; trace sandstone, white, medium grain, calcaresus.

3050 - 5080 As above, inbedded w/siltatore, orange to brown, slightly calcardons.

5080 - \$110 As above.

5110 - 5140 As above.

5140 - 5170 Siltatone, orange to brown, colcareous; w/shale, as above.

5170 - 5200 Siltatone, aronge to red, slightly colourous; w/shale, gray to green, silty, calcareous.

3200 - 3250 As above; w/shale, brown, silty and shale, lavendar.

5230 - 5260 As above; trace sendstone, green, medium to coarse grain, hard.

3260 - 3290 As above.

5230 - 5580 Siltatone, grange to brown, calcareous, inbedded w/shale, green, silty, calcareous.

5820 - 5850 Siltstone, orange to brown, calesrooms, inbedded w/shale, green, calesrooms; trace shale, gray, silty, calearnous.

5550 - 5560 As above; w/shale, brown, fine texture.

8560 - 5410 As above; w/sendstone, medium grain, red to brown, arkesie.

5410 - 5440 As above, less sendstone.

3440 - 5470 As above: w/shale, lavender, fine texture.

\$470 - 5500 Siltatone, orange to brens, caleareous; w/trece anhydrite.

5500 - 5550 As above, much fine crystelline enhydrite; trees sandstone, course, gray to green, culcareous, arkosis.

5550 - 5560 As above, much disseminated enhydrite.

8860 - 8590 Anhydritic siltatone, orange to brown, calcareous; w/sandstone, gray, medium grain, calcareous; some shale, red to brown, silty, misoccous.

3590 - 5680 As above; w/sandstone, gray to green, medium to course grain, missocous.

3620 - 3650 Siltatene, orange to brown, calcareous, enhydritis; w/sandatone, gray to green, fine grain, calcareous,

5680 - 5680 As above; w/shmle, lawendar, fine texture; less sandstone.

3880 - 5710 As above.

8710 - 8740 Siltetone, brown to drange-brown, calcorecas.

\$740 - \$770 As above, imbedded w/shale, green, and trees sandstone, red to brown, medius, arkesis.

3770 - 5800 Siltatone, orange to brown, calcareous; w/disseminated anhydrite; w/shale, gray, silty; trace nodular limestone, gray, fine erystelline.

5800 - 5850 As above.

5850 - 5860 Shele, gray and lavender, fine texture; w/shele and siltstone, as above.

5800 - 5800 As above.

5890 - 8980 As above.

5920 - 5960 Shale, lavender, fine texture; w/shale, brown, slightly silty; w/ siltstone, grange to brown, calcareous and sandstone, gray, fine grain, calcareous.

3950 - 3980 As above; w/sandstone, red to brown, fine grain, calcareous, arkesia.

5980 - 4010 Shale and militatone, as above; w/mandatone, medium to comme grain, gray, missecous.

4010 - 4040 As above.

4040 - 4070 As above.

4070 - 4100 Shale, gray and levender, fine texture; trace nodular limestone.

4100 - 4180 As above; w/siltstone, orange-red; less limestone.

4150 - 4160 Shale, gray, silty, slightly calcareous, inhedded w/Lavendar shale, fine texture.

4180 - 4190 As above; trace sendstone, gray, fine, calcareous, hard.

4190 - 4220 As above: trace nodular limestone.

4220 - 4250 Sandstone, gray, fine grain, very calcarrous; w/shale, gray, silty, calcarrous.

4250 - 4280 As above; increase in gray shale.

4290 - 4510 Siltatone, orange-red to brown, calcareous; w/shale, lavendar, fine texture; trace sandstone, brown, fine texture; trace sandstone, brown, fine grain.

4510 - 4540 As above, less sandstone.

4540 - 4570 Az above.

4870 - 4400 Siltatone, orange to red, sandy; shale, gray to lavender, fine texture, slightly calcareous.

4400 - 4480 As above.

4480 - 4460 As above; w/increase in abele, lavender, fine texture.

4480 - 4480 As above, becoming more calcoreous.

4490 - 4580 As above.

4520 - 4550 Limetone, gray to brown, very sandy; w/shele, levender, fine texture, and sandstone, gray, fine, very calcareous.

10' emples.

4550 - 4560 Sandy limestone, as above; w/shale, as above.

4560 - 4570 As above.

4570 - 4580 As above; w/shale, gray, slightly silty, calegreous.

4580 - 4590 Linestone, derk gray, sendy to fine crystalline; w/shale, brown, fine texture, and shale, gray, alightly silty, calegratus.

4570 - 4500 As above.

Immesa ten 9 4598'.

4800 - 4610 Limestone, medium to dark gray, fine crystalline; w/shele and limestone,

4610 - 4000 As above; w/shale, sed to brown and lavender, calcareous.

4000 - 4000 Shale, red to brown and levender, calcareous; w/trace limestone, as above.

4880 - 4860 Shale, on above; w/Lincotone, gray to bulf, fine crystalline; w/chart, snekey.

4640 - 4650 Limestone, as above; much smokey chert.

4650 - 4660 Linestone, gray to brown, mettled, crystalline; w/shale, brown, slightly silty, colonross.

4860 - 4870 As above.

4670 - 4680 Shale, dark to medium brown, slightly silty, calcareous; w/some limestone, as above.

4680 - 4690 As above.

4690 - 4700 As above.

4700 - 4710 As above; increase in limestone, medium gray, erystalline.

4710 - 4720 Shale, dark brown, slightly silty, calcareous; w/linestone, as above.

4720 - 4730 As above; w/shale, dark gray, silty to sandy, calcareous.

4780 - 4740 As above; w/limestone, gray, sandy, fine grain.

4740 - 4750 Linestone, medium gray to buff, fine orystalline; w/eece shale, as above.

4750 - 4760 As above; w/much shale, dark gray, silty, calcareous.

4760 - 4770 As abeve.

5000 - 5010 Limestone, medium to dark gray, fine orystalline.

5010 - 5020 As above.

5080 - 5050 As above; W/sandatone, gray, fine, very caleareous.

5050 - 5040 As above.

5040 - 5050 Limestone, medium to dark gray, crystalline; w/limestone, medium gray, sandy.

5050 - 5060 As above, inclusions in limestone, dark gray, crystalline, argillaceous.

\$060 - 5070 Shale, red to brown and brown; w/limestone, as above.

5070 - 5080 As above, shale,

5090 - 5090 As above.

5090 - 5100 As above. Yery poor sample.

5100 - 5110 Shale, brown and gray, silty, calcareous; w/limestane, medium gray, fine crystalline.

5110 - 5120 As above. Yery pour sample.

5120 - 5130 As above.

5150 - 5140 Shale, brown, milty, colearnous; w/limentone, gray, fine crystalline.

5140 - 5150 As above, w/shale, dark gray, silty, calcareous,

5150 - 5160 As above.

5160 - 5170 Shale, dark gray, silty, ealpareous; w/limestone, gray, fine crystalline.

5170 - 5180 As above. Yery poor sample.

5180 - 5190 Linestone, medium gray, crystalline; w/shale, as above.

5190 - 5200 As shove: v/limestone, buff, medium orystalline.

5200 - SELO As above.

5210 - 5220 As obeve.

5220 - 5250 Increase in shale, dark gray, silty, calcareous.

5250 - 5240 As above.

5240 - 5250 As above; w/limestone, gray to brown, fine erystalline.

5250 - 5260 Shile, gray to dark gray, silty, calegreeus; w/limestene, gray, fine crystalline.

8260 - 5270 As above.

5270 - 5280 As above; w/limestone, gray to brown, fine crystalline.

\$260 - \$290 Shale, dark gray, silty, calcareous,

5290 - 5500 As above; trece limestone, medium gray, fine erystalline.

\$300 - \$510 Limestone, medium groy, fine crystalline; w/shale, as above.

\$310 - \$320 Limestone, as above.

5520 - 5550 As above; increase in shale, dark gray, silty, calcareous.

5580 - 5840 Linestone, light to dark gray, very fine erystalline.

5540 - 5550 As above; w/mech derk gray shale.

\$350 - \$360 As above.

5880 - 5870 As above.

5570 - 5575 As above.

5' samples.

5875 - 5830 As above.

5840 - 5885 Limestone, medium to dark gray, fine crystalline, argillaceous.

5595 - 5590 As above.

5590 - 5595 As above; w/shale, dark gray, silty, saleareeus.

5595 - 5400 As above.

5400 - 5405 Shale, dark gray to black, slightly silty, coleareous,

5405 - 5410 As above.

5410 - 5615 As above; w/trace limestone, medium gray, fine, slightly sandy.

Paradox "A" 5412'

5415 - 5420 Limestone, medium gray, fine crystalline, elightly sandy.

5420 - 5425 Limestone, medium gray, fine crystalline, sandy.

5425 - 5450 As above; w/limestone, gray to brown, crystalline.

5430 - 5485 As above, w/fair to good pinpoint porosity, fair fluorescence and out fluorescence.

5455 - 5460 Limestone, light to medium gray, some chalky, w/trace pinpoint perceity, sa above.

\$440 - \$445 As above; w/trace chert, milky, good fluorescence.

5445 - 5481 Trace limestone, as above; w/limestone, buff to brown, crystalline, dense.

Circulated li hours - 50" samples.

TST #1, 8480 - 5451. Open 1 hour, shut in 45 minutes, recovered 50' drilling mad, no show, no water. I & PH 2005, IF 55, FF 50, SIP 90'.

5451 - 5455 Very poer sample, cavings from unbole; trace limestone, gray to brown, erystalline, dense.

5455 - 5460 Limestone, medium gray, crystalline; w/chert, wilky.

5460 - 5465 Much shale cavings; trace limestone, as above.

5465 - 5470 Very poor sample.

5470 - 5475 Limestone, medium gray, fine orystalline, dense, slightly embydritic.

5475 - 5480 As above, much caving,

5480 - 5485 As above.

5486 - 5490 Linestone, gray to buff, medium orystalline, dense, slightly anhydritic.

\$490 - \$495 As above (samples improving).

5495 - 5500 As above.

5500 - 5505 Linestone, medium grey, fine to medium crystalline, dense.

5505 - 5510 As above.

5510 - 5515 As above.

5515 - 5580 As above.

5880 - 5825 Limestone, medium to dark gray, fine arystalline, ergillaceous; w/limestone,

5525 - \$580 As above.

\$550 - \$555 Limestone, dark gray, fine crystalline, argillaceous; w/much shale, black, silty (cavings?).

5585 - 5840 As above; w/limestone, medium gray, orystelline.

5540 - 5546 As above.

Circulated 1} hours.

Trip for eare berrel.

Core #1. 5546 - 95, out 47', full recovery.

\$546 - 5547 Maestone, light to medium gray, fine grystalline, dense, fossiliferous,

5847 - 5848 As shove, anhydritic.

5548 - 5549 As above.

5549 - 5550 As above, becoming dark gray.

5580 - 5551 Limestone, medium gray, fine crystalline, anhydritie, dense.

5551 - 5552 As above.

5552 - 5558 Limestone, dark gray to black, very argillaceous, fine grain.

Paradex "B" 5553' atm -905

5555 - 5554 Shale, black, fine texture, slightly calcareous ("poker chip").

5554 - 5555 As above, slightly anhydritic.

\$\$55 - 5556 As above.

5556 - 5557 As above.

5557 - 5558 As above.

5559 - 5559 As above.

5559 - 5560 As above.

5560 - 5561 As above.

5861 - 5568 As above.

Faredox "C" 5562' Datum -914

5562 - 5565 Limestone, dark gray, fine crystalline, argillaceous, very fossiliferous, dense.

5568 - 5564 As above.

5564 - 5565 As above, very fessiliferous.

5505 - 5506 Limestone, black, fine grain, very argillaceous, dense, fossiliferous.

5565 - 5567 Linestone, gray, fine crystalline, enhydritic, dense.

5567 - 5568 As above.

5668 - 5569 As above.

5569 - 5570 As above.

5570 - 5571 Linestone, gray to brown, fine crystalline, w/good colicastic perceity, blooding oil and gas, tastes salty, scattered fluorescence, appears wet.

5571 - 5572 As above, 75% fluorescence, anhydritis.

5872 - 5878 Very good celicastic perceity, 100% fluorescence, tastee salty.

5578 - 5574 As above.

5574 - 5575 As shove.

5575 - 5578 Linostone, gray to brown, fine erystalline, w/fair collectic perceity, bleeding oil and gas, good odor and fluoresonnee, some large vags.

5576 - 5577 As above, anhydritic, 100% fluorescence.

5877 - 5578 As above.

5578 - 5579 Limestone, as above, w/good porosity, good odor and flaoreseense, streak hydrocarbon residue.

5579 - 5580 As above.

\$580 - \$581 As above.

5581 - 5582 As above.

5582 - 5585 As above.

55/35 - 5584 As above.

- 5584 5585 Limestone, medium to dark gray, very fine crystalline, dense.
- 5585 5586 As above.
- 5585 5587 Linestone, gray, medium crystalline, fessiliferous, w/fair intercrystalline porceity, scattered fluorescence, slight bleeding oil and gas and salt water.
- 5587 5588 As above, fair to good intercrystalline, perceity, enhydritic, good fluorescence, bleeding oil and gas and selt water.
- 5588 5589 As above beening pairse crystalline, good oder and fluorescense.
- 5589 5590 As above, few large vugs, fair fluorescence.
- 5590 5591 Limestone, gray to brown, fine to medium crystalline, scattered intercrystalline perceity, 75% fluorescence, bleeding oil and gas and salt water.
- 5591 5592 As above, w/dead oil in vage.
- SS92 5595 Limestone, medium gray, fine crystalline, anhydritic, dense.

 Pulled Core #1, went in w/water to drill to 5605' and condition hole for logging.
- 5895 5805 Limestone, medium gray, fine orystalline, dense.
 - T.D. 8808'. Ren ES-Ind, GR-N, LL (SJ) 2/17/88. 985

Fori	n 9- 8 pril 19	331 b 52)	

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY**

Indian Agency Have jo Trees 16k
Allotte. 14-20-603-2056

OTICE OF INTENTION TO DRILL		SUBSEQUENT REPORT OF W	VATER SHUT-OFF	
OTICE OF INTENTION TO CHANGE PLA	l l	SUBSEQUENT REPORT OF S		1 1
OTICE OF INTENTION TO TEST WATER		SUBSEQUENT REPORT OF A		
OTICE OF INTENTION TO REDRILL OR	REPAIR WELL	SUBSEQUENT REPORT OF F	REDRILLING OR REPAIR	
TICE OF INTENTION TO SHOOT OR	ACIDIZE	SUBSEQUENT REPORT OF A	BANDONMENT	
TICE OF INTENTION TO PULL OR AL	TER CASING	SUPPLEMENTARY WELL HIS	TORY	
OTICE OF INTENTION TO ABANDON W	ELL			
(INDICATE	ABOVE BY CHECK MARK N	ATURE OF REPORT, NOTICE, OR	OTHER DATA)	
	_	7 obrust	7 80,	, 19.58
Anoth				.
ll No. 34-Bla is loca	ted 815 _ft. from	$\left\{ S \right\}$ line and 1860	ft. from $\{W\}$ line of	of sec
(½ Sec. and Sec. No.)	10-8 (Twp.)	(Range) (Mer	&_Lebe_idian)	
Aneth	San			
	(County of	Subdivision)	(State or Territor;	y)
	above sea level to DETAIL	el is . 1637 ft. 10 1619 ft. .S OF WORK		
e elevation of the decorate	above sea level to DETAIL	el is . 1637 ft. 10 1619 ft. .S OF WORK	sed casings; indicate mud	lding jobs, cement-
e elevation of the	above sea level to be the sea level to be the search of th	el is . 1637 ft. 10 1619 ft. .S OF WORK	sed casings; indicate mud	lding jobs, cement-
te names of and expected depths to	above sea level to be the sea level to be the search of th	el is . 1637 ft. 10 1619 ft. .S OF WORK	sed casings; indicate mud	iding jobs, cement-
te names of and expected depths to	Above sea level to be	el is . 1637. ft. 10 1649 ft. S OF WORK s, weights, and lengths of proponer important proposed work)		
te names of and expected depths to make 25, 1958 13-3/8" OD 8-R H-M	best above sea level to be the	el is . 1637. ft. 10 1649 ft. S OF WORK s, weights, and lengths of proponer important proposed work)		
te names of and expected depths to make 25, 1958 13-3/8" OD 8-R H-M	best above sea level to be the	el is . 1637. ft. 10 1649 ft. S OF WORK s, weights, and lengths of proponer important proposed work)		
e elevation of the description o	best above sea level to be the	el is . 1637. ft. 10 1649 ft. S OF WORK s, weights, and lengths of proponer important proposed work)		
e elevation of the description o	DETAIL objective sands; show size ing points, and all ot	el is .4637ft. 1.9 1669 ft. S. OF WORK s, weights, and lengths of proposer important proposed work)	th 150 sacks 1	regular com
te elevation of the description	been above sea level to be considered above sea level to be considered and significant and all of the considered as the	el is .4637ft. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	th 150 sacks a	regular com
te names of and expected depths to udded January 21, 19, 19, 19, 19, 19, 19, 19, 19, 19, 1	been above sea level to be considered above sea level to be considered and significant and all of the considered as the	el is .4637ft. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	th 150 sacks a	regular com
to names of and expected depths to added January 21, 19, 19, 19, 19, 19, 19, 19, 19, 19, 1	been above sea level to be considered above sea level to be considered and significant and all of the considered as the	el is .4637ft. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	th 150 sacks a	regular com
to names of and expected depths to added January 21, 19, 19, 19, 19, 19, 19, 19, 19, 19, 1	been above sea level to be considered above sea level to be considered and significant and all of the considered as the	el is .4637ft. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	th 150 sacks a	regular com
e elevation of the dentities of enemes of and expected depths to added January 2h, 19 mary 25, 1958 13-3/8" OD 8-R H-h 13-3/8" OD 8-R H-h 25 Calcium Chlori 125/8" OD 8-R 366	been above sea level to be considered above sea level to be considered and significant and all of the considered as the	el is .4637ft. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	th 150 sacks a	regular com
e elevation of the dentities of and expected depths to added January 2h, 19 mary 25, 1958 13-3/8" OD 8-R H-h 13-3/8" OD 8-R H-h 14-25 Calcium Chloric 1958 19-5/8" OD 8-R 36/ 19-5/8" OD 8-R 36/ 19-5/8" OD 8-R 36/	in above sea level to be considered above sea level to be considered and sealing points, and all of the considered as th	el is .1637ft. 1. 1. 1669 ftS OF WORK, weights, and lengths of proposer important proposed work) 1522', comented with 25 Calcium	th 150 sacks in the 1500 sacks a Chloride.	regular com
e elevation of the dentities of elevation of the dentities of and expected depths to ended January 21, 19 mary 25, 1958 13-3/8" OD 8-R H-14 13-3/8" OD 8-R H-14 14-3/8" OD 8-R 36/ 19-5/8" OD 8-R 36/ 10-9-68 OD 8-R 36/ 11-9-68 OD 8-R 36/	in above sea level to be compared to	el is .4637ft. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	th 150 sacks in the 150 sacks a Chloride.	50-50 Possi
to names of and expected depths to added January 21, 19, 19, 19, 19, 19, 19, 19, 19, 19, 1	DETAIL objective sands; show size ing points, and all ot stands. O los casing at the regular comes.	el is .4637ft. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	th 150 sacks in the 150 sacks a Chloride.	50-50 Possi
e elevation of the dentities to names of and expected depths to nadded January 2h, 19 mary 25, 1958 t 13-3/8" OD 8-R H-h th 25 Calcium Chlorianury 28, 1958 t 9-5/8" OD 8-R 36/ llowed with 125 sack	be above sea level to be above sea level in good to be above sea level in good to be above sea level in the above sea level to be ab	el is .4637ft. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1	th 150 sacks in the 150 sacks a Chloride.	50-50 Possi

Form 9-330

U. S. LAND OFFICE Indian Agency
SERIAL NUMBER 11,-20-603-2056
LEASE OR PERMIT TO PROSPECT

UNITED STATES DEPARTMENT OF THE INTERIOR

GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Accor :					ess 1700 Broadw Ameth			
					Lake Co			
ocatio	n 815 ft.	$\frac{[N]}{[N]}$ of S	ine and 18	Sort E. of W	Line of Start	Sec. 3	A Eleve	tion 4637
)		(ect record of the v		(Dellier I	HOUR TELESTITO DO BOS 16161)
		ermined from			al Lan			
Date	Мау	13. 1958			Title Di y	ision Ch	iof Pr	oducing (
\mathbf{Th}	e summary	on this page is	for the con	dition of the we	ell at above date.			
Comme	enced drilling	January	24,	., 19 .58 . Finis	shed drillingF	bruary 1	7	, 19 58
			OIL OR	GAS SANDS	OR ZONES			
_	. 557	خ ۱	55851	(Denote gas by (
	from 557				4, from			
					5, from			
Vo. 3,	from	to		No.	6, from	to		
			IMPO	RTANT WATE	R SANDS			
No. 1,	from Non	e to		No.	3, from	to		
No. 2,	from	to		No.	4, from	to)	
			•	CASING RECO	ORD			
Size casing	Weight T	'hreads per inch	lake Amo	unt Kind of shoe	Cut and pulled from	Perfo		Purpose
a An a	1.0.5	0 m	NO 1.4	S' Coupling		- From-		Comented
Z'AV	Topas et pa	Macs were put i	10 10 5 10 7	Compling	naterial ggod, gosific	and result	e et baus	Chargeton
1/2	nesco	8 de la anglis e	edults. Pyd	Med awachens	4). Please state in é je: made in the casin n as been dynamited, j n a terial used, posific	5575	5585 19	Production
14.1			HISTOR	I OF OIL OR	GAS WELL	01031 4100 404	. of rodsi	line todothor
			AALSUMSERE.		GAS WELL	10- 35004-5 - 0	8 BONESMET 8	PEINTING OFFICE
					TING RECORD			
Size	Where set	Number sac	ks of cement	Method used	Mud gravity	Ar	nount of m	ud used
	451	150						
. 4 / SI W	15221	300		Halliburto	+			
· 3/8" ·5/8"		500		Halliburto				
.5/8"	5603!			1		t		
5/8"	5603'		· •					
·5/8" ·1/2"				JGS AND ADA	PTERS	Donth act		

	4	D'	150	ex.	Hallibur	ton		
-5/8"	152							
-1/2"	560	3'	500	ex.	Hallibur	ton		
		1			GS AND A			
Heaving	g plug–	-Material		!	. Length		Dept	th set
Adapter	s—Ma	terial		ļ 	Size			
ord				1	OOTING F			
		<u> </u>				1		
Size		Sheli used	Exp	losive used	Quantity	Date	Depth shot	Depth cleaned out
elar (1809)		8.2	- Jay	m).			-	
34.			- 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1	<u> </u>	-	-	-	***************************************
				1	-	-		***************************************
indoja Imploje					TOOLS U	SED		
Rotary	tools w	ere used fr	om Z	ero fee	et to 5601	Get	, and from	feet to
				1	i			feet to
	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	o abou 11 on			DATES		, ши пош	1060 00
est:				0	D.,	t to nuo	duaina Shut in	waiting pipe
F	ebrua	y 21,		58	10	t to pro	ducing -line-co	mections. 19
The	e produ	iction for t	he firs t	21 fiburs wa	s331	barrels o	of fluid of which	100 % was oil;
				$\frac{7}{6}$ sediment.				h1.0
	_		_		1	long gog		1. ft. of gas
				•	Ga	ions gas	onne per 1,000 ct	i. it. of gas
Tubbi	pres	sure, lbs. p	er sq. ir	200				
					EMPLOY			
				, Drille	er			, D
				, Drille	r			, D
				FOR	MATION I	RECORI	D	
FRO	м	то	-	TOTAL FE	GIETT .	-	FORMAT	ION
-0-		34.15	1	31.15	Sau	d ana	ehele	
•		3415		3415' 1038'	9	d and		
3415		3415 4453	•	3415' 1038' 181'	Sax	dy shai	le.	
34151 44531	i areane	3415 3415 3425	1 1 L ar sa	1038' 181' 586'	Sax Sax	dy shai dy shai le and	le. le and lime. lime.	
34151 44531	i areane	3415 3415 3425	1 1 L ar sa	1038' 181' 586'	Sax Sax	dy shai dy shai le and	le. le and lime. lime.	g GBONS ^k Kingi indo
34151 44531	i areane	3415 3415 3425	1 1 L ar sa	1038' 181' 586'	Sax Sax	dy shai dy shai le and	le and lime. lime. me and charte,	ఒ కృత్తుంద్రి కృత్త సంకృశా కృత్త కృష్ణ కృశాశా
34151 1434 5350 5350	ULO TOPO TOPO	3415 4634 5250 5350 5463 5466 5466		1038' 181' 586' 130' 196'	San San San Sha Sha Sha Sha Sha Sha Sha Sha Sha Sha	dy sha dy sha le and le li	le and lime. lime. me and chart. 1 - See below.	ారం. కృష్ణ కేశ్వర్తు కోష్ణ పైర దెక్టు ఇండి పైజ మొమ్మాయాయు ఆ
3415 1453 1434 5350 5554 5593	S Unio Table Table Table Table	3415 4634 5220 5350 5546 5546 5603	AGO SA BOSTALA BOSTALA BOSTALA BOSTA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA B	1038 181 586 130 196 247 247	Series Se	dy shai dy shai le and le lin e han Maru	le and lime. lime. me and chart. l - See below.	C COMP LET COMP
3415 1453 1453 5350 5546 5593	S Unio Table Table Table Table	3415 4634 5220 5350 5546 5546 5603	AGO SA BOSTALA BOSTALA BOSTALA BOSTA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA BOSTALA B	1038 181 586 130 196 247 247	Series Se	dy shai dy shai le and le lin e han Maru	le and lime. lime. me and chart. l - See below.	C COMP LET COMP
3415 1453 1434 5350 5514 5593	Unio Toru Toru Toru	3415 4634 5220 5350 5546 5580	n and Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Properties Prope	1038 181 586 130 1961 10	San San San San San San San San	dy sha dy sha le and le li 1 2 2 3 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	le and lime. lime. ne and charte. L - See below.	Lar soid. Marin L Groot race L Groot race rele of rill. " chops: 27: Tow
3415 1453 1634 5390 5350 5516 5593	Luca Luca Luca Luca Luca Luca Luca Luca	3415 4634 5820 5350 5546 5583		1038 181 586 130 196 196 10 5603	San	dy shaile and least like and like	le and lime. lime. and charter construction le souther of the less the construction les	lar sold. Asult. Largorace
3415 4453 4634 5350 5350 5546 5503	o Unio Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto	3415 4634 5220 5350 5546 5603		1038 181 05 50 586 130 130 130 130 130 130 130 130 130 130	Ser	dy shaile and least like the shaile and shaile shai	le. le and lime. lime. cond, charter construction le souther of the	Tare (Colore to the Colore to
3415 4453 4634 5350 5350 5546	o Unio Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto	3415 4634 5220 5350 5546 5603		1038 181 05 50 586 130 130 130 130 130 130 130 130 130 130	Ser	dy shaile and least like the shaile and shaile shai	le. le and lime. lime. cond, charter construction le souther of the	Tare (Colore to the Colore to
3415 4453 4634 5350 5350 5546 5503	o Unio Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto	3415 4634 5220 5350 5546 5603		1038 181 05 50 586 130 130 130 130 130 130 130 130 130 130	Ser	dy shaile and least like the shaile and shaile shai	le. le and lime. lime. cond, charter construction le souther of the	Tare (Colore to the Colore to
3415 4453 4634 5350 5350 5546 5503	o Unio Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto	3415 4634 5220 5350 5546 5603		1038 181 05 50 586 130 130 130 130 130 130 130 130 130 130	Ser	dy shaile and least like the shaile and shaile shai	le. le and lime. lime. cond, charter construction le souther of the	Tare (Colore to the Colore to
3415 4453 4634 5350 5350 5546 5503	o Unio Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto Posto	3415 4634 5220 5350 5546 5603		1038 181 05 50 586 130 130 130 130 130 130 130 130 130 130	Ser	dy shaile and least like the shaile and shaile shai	le. le and lime. lime. cond, charter construction le souther of the	Tare (Colore to the Colore to
3415 4453 4634 5350 5516 5503	Total	3h15 hh53 h63h 5220 5350 5546 5593 5603 Line, Line,		1038 181 586 130 196 310 560 560 310 310 310 310 310 310 310 310 310 31	San	dy shaile and le	le. le and lime. lime. cond, charter construction le souther of the	r 191 1 4428 - 44149 1 781 6 0 848 - 17481 17 191 1 4428 - 44149
3415 4453 4634 5350 5546 5563	12.5	3415 4634 5220 5350 5546 5593 5603 Line, Line,	STY STY	1038 181 130 130 130 130 130 130 130 130 130 13	San	dy sha dy sha le and le li e Ale a AL IEP Signal y, ble how.	le and lime. lime. me and chart. compare below. le action belo	Sys. Soon odor. G. 1100 moveder. G. 1100 moved
3415 4434 5330 5330 5330 5330 5330	12.55 12.55 14.55	3415 4634 5220 5350 5546 5546 5546 Line, Line, Line, Line,	to 55 Fine fine fine	1038 181 586 130 196 196 5603 5603	San San San Sha	dy shaile and leading. All Darks of the leading of	le and lime. lime. Condition C	see, good odor. Control percentage Control p
3415 4453 4434 5350 5350 5350 5350 5350	No. 12. 5. 4. 5. 4. 5. 4. 5. 4. 5. 4. 5. 5. 4. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	3415 4634 5220 5350 5546 5593 5603 5603 Lime, Lime, Lime, Lime,	to 55 fine fine	1038 181 586 130 196 196 10 10 10 10 10 10 10 10 10 10 10 10 10	San San Shared Shared Shared br>Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared S	dy shalle and lead an	le and lime. lime. me and chart. Laste below. Laste be	to the sold of the
3415 4453 4434 5350 5350 5350 5546 5503	No. 12. 5. 4. 5. 4. 5. 4. 5. 4. 5. 4. 5. 5. 4. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	3415 4634 5220 5350 5546 5593 5603 5603 Lime, Lime, Lime, Lime,	to 55 fine fine	1038 181 586 130 196 196 10 10 10 10 10 10 10 10 10 10 10 10 10	San San Shared Shared Shared br>Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared S	dy shalle and lead an	le and lime. lime. me and chart. Laste below. Laste be	to the sold of the
3415 4434 5350 5350 5350 5546 5503	No. 12. 5. 4. 5. 4. 5. 4. 5. 4. 5. 4. 5. 5. 4. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5. 5.	3415 4634 5220 5350 5546 5593 5603 5603 Lime, Lime, Lime, Lime,	to 55 fine fine	1038 181 586 130 196 196 10 10 10 10 10 10 10 10 10 10 10 10 10	San San Shared Shared Shared br>Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared Shared S	dy shalle and lead an	le and lime. lime. me and chart. Laste below. Laste be	see, good odor. Control percentage Control p

FORMATION RECORD—Continued

FROM-	TO-	TOTAL FEET	FORMATION 1 - 12004-
Johnston DST	No. 1 from 5hi	19' to 5h51'.	rool open 6:30 a.m. Very weak blow at
start decre	asing to sero	in 30 minutes	Tool open 1-1/2 hours, shut in 15
minutes for	Bottom Hole	Pressures. Re-	Tool open 1-1/2 hours, shut in 45 covered 30' drilling mud. Pressures:
IH 2885, IT	35, 37, 50, 8	ur in 30, PH	2885 galas de Santa de Carlos de Car
			s MCA Acid. Spotted acid on perforations
Acid on for	metion 21/00 a	And SAN Serror	is not reid. Spotes acte on beliefactons
Injection t	ata 173 kann	als nor winnte	Idenlaced with 22 harmale of I toh
completed 7	els n.m. Let	set one hours	Displaced with 32 barrels oil. Job 800 pounds pressure. Guiberson Packer
** Rt 4537	Me22 Close	of 6 barmala la	ad eil in one hour. Symbole load oil out
pulled smab	h times. We	Il open to burn	aing pit one hour. Flowed in test tank
3-1/2 hours	produced 25	barrels oil.	then well died.
į.	-	1	
Acid Job No.	2. Dowell ac	idised formatio	on with 8000 gallons regular acid. Maximu
pracrure 34	50 poweds, pu	ping in at 4.	barrels per minute. Cut pump rate
Packer leak	ing, po break	down of format	on, pressure 3400 pounds, pumping at rate
of zel barn	els per minut	at end of fly	sh. Jushed with in barrels of oil.
Well flowed	332.33 barre	is oil in 6-1/2	hour test through 18/64" choke, 200 pour
tubing pres	sure. Well s	hut in, no stor	
			Describe Asset States
		7.594	To the first than a second of the second of
	·	i	
et i gave	Prof.		文學解釋 (2) 444 - 學學的學學
FROM -	TO	TOTAL PEAS	FORMATION
2000	Access to a constant of the second of the se		
			JON RECORD
		Deiller	, Dr
		- Deiller	Di
		1	PLOYEES
T. WOCK Dross	ure, Ibs. per sa	The state of the s	The second secon
,	•	İ	
If gas well,	en, 25. ner 27 ho	1 1	Gallons gasoline per 1,000 cu. ft. of gas
emulators ;	Ç waşest meq 😁 🤄	्रिष्ट् अवस्थामा हर	Gravity, Be
rus brond	wion for the first	STATION OF ME-	ب barrels of fluid of which بمهر ب barrels of fluid of which بهم المناهبية بالمناهبة المناهبة
19.04	ing no garage agence An ing K	17. (3.7	
	7 . <u></u>	A Seek o	Par to producing Trees surprinting, (9.
		n	ATES
DEPORTANT MAR	and Bott	i	feet, and from feet to
Rotary tools we		į	
Navajo	745 (+3)	383 J 3 ' J	18/22 feet, and from feet to
Wingate		(1771) LOO	LS USED
Chinle	1527' (43)	121')	
Shinarump		331)	
Hermosa.		151)	
	5µ121 (-	76h++	the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of th
Size 31	ल्या सहस्य 🗼 १८४।	plosne used Qu	aprite Bate Begin shot Bepth cleaned out
		SHOOM	MC RECORD
Adapters-Mar	orial	Si	· ·
į.		•	
Heaving plug-	Matorial	1	gth Depth set
		PLUGS A	D ADAPTERS
	··· · , · · · · · · · · · · · · · · · ·		
	· Sugar	Trans.	ाम १६६
	the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s		
AVI TELL			
			· I · · · · · · · · · · · · · · · · · ·

Forn (A)	n 9-8 pril 19	131 b 52)	

(SUBMIT IN TRIPLICATE)

UNITED STATES

Indian A	gency NAVAJO
	
Allottee	,
	14-20-603-2056

	DEPARTME	NT OF THE IN	TERIOR '	Allottee	
	GEOI	LOGICAL SURVEY	' 1	.ess No. 14-20-6	03-2056
0					
<u> </u>					
SUNDRY	NOTICES	AND REPO	RTS ON	WELLS	
NOTICE OF INTENTION TO DRILL		SUBSPONENT DE	PORT OF WATER SH	UT-OFF	
NOTICE OF INTENTION TO CHANGE I		l li '		OR ACIDIZING	1 1
NOTICE OF INTENTION TO TEST WAT				CASING	
NOTICE OF INTENTION TO REDRILL		1 1		NG OR REPAIR	
NOTICE OF INTENTION TO SHOOT OF	R ACIDIZE	SUBSEQUENT RE	PORT OF ABANDON	MENT	
NOTICE OF INTENTION TO PULL OR	ALTER CASING	SUPPLEMENTARY	WELL HISTORY		
NOTICE OF INTENTION TO ABANDON	WELL				
(INDICA	TE ABOVE BY CHECK MA	ark nature of report, n	OTICE, OR OTHER DA	ATA)	
			Monob	30	62
			Pager, City (50	19.00
				,	
Anath IInit		4		•	
Aneth Unit Well No. RA34 is lo	rated 815 ft.	from $\{c\}$ line and	1860 ft. fron	•	
Aneth Unit Well No	cated 815 ft.			•	
Well No				•	
Well No. P434 is loc SW of Sec. 34 (% Sec. and Sec. No.)	40-8 (Twp.)	24-K (Range)	SLM (Meridian)	m W line of sec.	
Well No. B434 is low SWE of Sec. 34 (14 Sec. and Sec. No.) Anoth	40-S (Twp.)	24-E (Range)	SLM (Meridian)	n \big line of sec. Utah	
Well No. P434 is loc SW of Sec. 34 (% Sec. and Sec. No.)	40-S (Twp.)	24-K (Range)	SLM (Meridian)	m W line of sec.	
Well No	40-8 (Twp.) Say	(Rango) n Juan inty or Subdivision)	SLA (Meridian)	n \big line of sec. Utah	
Well No. B434 is low SWE of Sec. 34 (14 Sec. and Sec. No.) Anoth	God above sea	24-R (Range) n Juan (nty or Subdivision) level is 4649 ft.	SLA (Meridian)	n \big line of sec. Utah	
Well No	God above sea	(Rango) n Juan inty or Subdivision)	SLA (Meridian)	n \big line of sec. Utah	
Well No. P434 is low SWE of Sec. 34 (14 Sec. and Sec. No.) Ane th (Field) The elevation of the derrick	40-8 (Twp.) San (Cou	(Range) n Juan inty or Subdivision) level is 4649 ft. CAILS OF WORK	SLA (Meridian)	line of sec. Utah (State or Territory)	34
Well No	40-8 (Twp.) San (Cou	(Range) n Juan inty or Subdivision) level is 4649 ft. CAILS OF WORK	SLA (Meridian)	line of sec. Utah (State or Territory)	34
Well No. P434 is low SWE of Sec. 34 (14 Sec. and Sec. No.) Ancth (Field) The elevation of the derrick (State names of and expected depths to	Graphic (Course floor above sea	(Range) 7 Juan Inty or Subdivision) level is 4649 ft. CAILS OF WORK w sizes, weights, and length all other important propo	(Meridian) ns of proposed casin, sed work)	line of sec. Utah (State or Territory)	34
Well No	Graphic Sau (Court floor above sea DET of objective sands; showing points, and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court and court a	(Range) 7 Juan Inty or Subdivision) level is 4649 ft. CAILS OF WORK w sizes, weights, and length all other important propo	(Meridian) as of proposed casing sed work)	line of sec. Utah (State or Territory) gs; indicate mudding job	34 2-7/8**
Well No. B434 is low SWL of Sec. 34 (14 Sec. and Sec. No.) Aneth (Field) The elevation of the derrick (State names of and expected depths to the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the company of the compa	Graphic search of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the control of the	24-R (Range) n Juan mty or Subdivision) level is 4649 ft. CAILS OF WORK v sizes, weights, and length all other important propo	SLM (Meridian) as of proposed casing sed work) kover 1-1 ker and s	Utah (State or Territory) 3-62. Ran at packer a	34 0s, coment-
Well No. P434 is low SWL of Sec. 34 (M Sec. and Sec. No.) Aneth (Field) The elevation of the derrick (State names of and expected depths to the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second	s floor above sea DET o objective sands; shove ing points, and coling with indicate the packer	Reange) n Juan mty or Subdivision) level is 4649 ft. CAILS OF WORK we sizes, weights, and length all other important propo	SLM (Meridian) as of proposed casing sed work) KOVET 1-1 KET And Seith 1000	line of sec. Utah (State or Territory) gs; indicate mudding job packer a	34 2-7/8" t 5560' Packer
Well No. P434 is low SWL of Sec. 34 (M Sec. and Sec. No.) Aneth (Field) The elevation of the derrick (State names of and expected depths to the state of the field) Moved in pulling plastic lined tub Put inhibitor behinded of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t	sal (Course floor above sea DET of objective sands; showing points, and unit and coing with its ind packer	Reange) I Juan Inty or Subdivision) level is 4649 ft. CAILS OF WORK I Sizes, weights, and length all other important propo Commenced work Injection paci I and tested I wer and shut	SLM (Meridian) as of proposed casing sed work) kover 1-1 ker and swith 1000 well in	Utah (State of Territory) 3-62. Ran et packer af pressure. 1-16-62. Ti	34 2-7/8" t 5560' Packer
Well No. P434 is low SWL of Sec. 34 (M Sec. and Sec. No.) Aneth (Field) The elevation of the derrick (State names of and expected depths to the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second	floor above sea of objective sands; showing points, and in the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sand sea that the sa	Reange) I Juan Inty or Subdivision) level is 4649 ft. CAILS OF WORK I Sizes, weights, and length all other important propo Commenced work Injection paci I and tested I wer and shut	SLM (Meridian) as of proposed casing sed work) kover 1-1 ker and swith 1000 well in	Utah (State of Territory) 3-62. Ran et packer af pressure. 1-16-62. Ti	34 2-7/8" t 5560' Packer

I understand that this plan of work must receive approval in writing	by the Geological Survey before operations may be commenced.
Company TEXACO Inc.	
Address P. O. Box 810	g garan makan Januar Maria
Farmington, N. M.	By
	Title District Superintendent

ITED STATES DEPARTMENT OF THE INTERIOR (Note lastru) 100 Te 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-603-2056 14-20-	Tav 1963)		*C *******		Form approv	ad 17
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposed to drill or to deepen of pilet back to a different reservoir. OIL Use "APPLICATION FOR PERMIT"" for such proposshal. OIL WELL OTHER Water Injection NAME OF OPERATOR TEXACO Inc. ADDRESS OF OPERATOR BOX \$10. Farmington, New Mexico 87401 DOCATION OF WELL (Report location clearly and in accordance with any State requirements." At surface 815' from South Line and 1860' from West Line 815' from South Line and 1860' from West Line 11. SELEVATIONS (Show whether DF, RT, GR, etc.) 4. PERMIT NO. 15. REVATIONS (Show whether DF, RT, GR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION NO: TEST WATER SHUT-OFF PULL OR ALTER CASING SHOOTING OR ACIDIZATION ALTERING CABING PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertheent details, and give pertinent dated date of various, proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones performent one through tubing with 600 gallons of Dowell XL-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3-4 barrels per minute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels		PARTMENT OF THE	INTERIOR (Other ins		Budget Bures 5. LEASE DESIGNATION	AND SERIAL P
Commenced work of rendered and returned to form west continued and returned to follow the first state all perforations and measured and true vertical depths for all markers and zones perforations through tubing with 600 gallons of Dowell XL-1 acid. Treating pressure 100 to 500 psi with an average injection rate of 1 surveys to part of 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 1 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 surveys to 2 su	OLD IDDY					
OIL GAS GOTHER WELL (Report location clearly and in accordance with any State requirements.* ADDRESS OF OFFERATOR BOX 810, Farmington, New Mexico 87401 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* At surface 815. From South Line and 1860.* From West Line 815. From South Line and 1860.* From West Line 815. From South Line and 1860.* From West Line 815. San Juan 11. SEC. Z. B. M. OR BEK. AND 828 SERVER OR ALER 34, 40-S, 24-E, S 4. FERMIT NO. 15. BLEVATIONS (Show whether DF, NT, OR, etc.) 4649. DF Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREATMENT SHOOT OR ACTIONE REPAIR WELL (Other) CHANGE PLANS (Other) CHANGE PLANS (Other) CHANGE PLANS (Other) CHANGE PLANS (Other) REPAIR WELL (Other) REPAIR WELL CHANGE PLANS (Other) Repair and the completion on Well COMPETION OF Report results of multiple completion on Well COMPETION OF REPORT OF ALTERING A SHORD RESULT OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF RECOMPLETED OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF THE SHOOT OF TH				reservoir.	Navajo	
TEXACO Inc. ADDRESS OF OFRATOR BOX 810, Farmington, New Mexico 87401 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* Act surface 815' from South Line and 1860' from West Line 815' from South Line and 1860' from West Line 11. SEC., T., R., M., OR BLE. AND 815. LEVATIONS (Show whether DF, RT, OR, etc.) 4649' DF 6. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED OR COMPLETE OF PULL OR ALTER CASING (Other) 7. DESCRIBE PROPOSED OR COMPLETE OF PULL OR ALTER CASING (Other) 7. DESCRIBE PROPOSED OR COMPLETE OF PULL OR ALTER CASING (Other) 7. DESCRIBE PROPOSED OR COMPLETE OF PULL OR ALTER CASING (Other) 7. DESCRIBE PROPOSED OR COMPLETE OF PULL OR ALTER CASING (Other) 7. DESCRIBE PROPOSED OR COMPLETE OF PULL OR ALTER CASING (Other) 7. DESCRIBE PROPOSED OR COMPLETE OF PULL OR ALTER CASING (Other) REPAIR WELL (Other) REPAIR WELL (Other) REPAIR WELL (Other) REPAIR WELL (Other) REPAIR WELL (Other) REPAIR WELL (Other) REPAIR WELL (Other) REPAIR MENT ALTERING CASING ABANDONN' ABANDONNENT* Completion or Recompletion on Well Completion or Recompletion Report and Log form.) Reason for workover was to increase injectivity. COMMENCE REPORT WELL (Other) COMMENCE REPORT TEST THE THE THE THE THE THE THE THE THE TH		OTHER Water inje	obion			ME
ADDRESS OF OPERATOR BOX 810, Farmington, New Mexico 87401 LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 815' from South Line and 1860' from West Line 815' from South Line and 1860' from West Line 11. SEC., T., R., M., OR BLE. AND SURVEY OR AREA 34, 40-8, 24-R, S 4. FERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) Complete Report of ACIDIZE (Other) T. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting a proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and sones performed workover was to increase injectivity. Commenced workover on 6-16-65. Backflowed well and treated all perforations through tubing with 600 gallons of Dowell XL-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3,4 barrels per minute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels		The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	and the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of t		8. FARM OR LEASE NAM	4E
LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface 815' from South Line and 1860' from West Line 11. SEC. T., E., M., OR BLE. AND SECRET OR AREA 34, 40-3, 24-E, S 4. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. COUNTY OR PARISH 13. STATE San Juan NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PULL OR ALTER CASING PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (O	ADDRESS OF OPERATOR	Instan Nov Mart	no 87801			
815' from South Line and 1860' from West Line 11. SEC. T. R., M., OR ELK. AND 34, 40-S, 24-E, S 4. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and takes, including estimated date of starting a proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones performanced workover on 6-16-65. Backflowed well and treated all performations through tubing with 600 gallons of Dowell XL-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per minute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels	LOCATION OF WELL (Report	-		· 8. •	10. FIELD AND POOL, O	R WILDCAT
815° from South Line and 1860° from West Line 34, 40-8, 24-8, 8 4. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting a proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perforations through tubing with 600 gallons of Dowell XI-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per mirmute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels						
4. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. COUNTY OR PARISH 18. STATE San Juan 15. ELEVATIONS (Show whether DF, RT, GR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF PULL OR ALTER CASING MULTIPLE COMPLETE SHOOT OR ACIDIZE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE ABANDON* SHOOT OR ACIDIZE TREAT SHOOT OR ACIDIZING ABANDONMENT* (Other) 7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting a proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perforations through tubing with 600 gallons of Dowell XI-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per mimite. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels	815' from Sout	th Line and 1860	from West Lin	10	SURVEY OR AREA	
6. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other) (Other)	4 PERMIT NO	15 ELEVATIONS (Show	whether DF RT GR etc.)			
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL (Other) Other Tobscribe proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pend tubing with 600 gallons of Dowell Xi-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per minute. Instant shut-in pressure 700 psi. Bubbsequent report of: WATER SHUT-OFF FRACTURE TREATMENT ALTERING WELL (NOTE: Report results of multiple completion on Well (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) Repairing well ABANDONMENT* (Other) (NOTE: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) Reason for workover was to increase injectivity. Commenced workover on 6-16-65. Backflowed well and treated all perforations through tubing with 600 gallons of Dowell Xi-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per minute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels	r. Palmii No.		whether be, ki, da, etc.)			
TEST WATER SHUT-OFF FRACTURE TREAT MULTIPLE COMPLETE SHOOT OR ACIDIZE REPAIR WELL (Other) 7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting or necessary and true vertical depths for all markers and zones perforations through tubing with 600 gallons of Dowell Xi-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per minute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels). C I	heck Appropriate Box To I	ndicate Nature of Notic	e, Report, or C	Other Data	
SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT OR ACIDIZE SHOOT	NOTICE	OF INTENTION TO:		SUBSEQ	UENT REPORT OF:	
SHOOT OR ACIDIZE REPAIR WELL CHANGE PLANS (Other) COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting a proposed work.)* Reason for workover was to increase injectivity. Commenced workover on 6-16-65. Backflowed well and treated all perforations through tubing with 600 gallons of Dowell XL-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per minute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels	TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SH	UT-OFF	REPAIRING	WELL
REPAIR WELL (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) (Other) (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Well Report and Log form.) (Other) (Note: Report results of multiple completion on Report and Log form.) (Other) (Note: Report results of multiple completion on Report and Log form.) (Other	FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE	1 -41	-	ASING
(Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting a proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.) Reason for workover was to increase injectivity. Commenced workover on 6-16-65. Backflowed well and treated all perforations through tubing with 600 gallons of Dowell Xi-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per minute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels	SHOOT OR ACIDIZE			OR ACIDIZING	ABANDONME	NT*
7. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting a proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.)* Reason for workover was to increase injectivity. Commenced workover on 6-16-65. Backflowed well and treated all perforations through tubing with 600 gallons of Dowell XL-1 acid. Treating pressure 1100 to 500 psi with an average injection rate of 3-3/4 barrels per minute. Instant shut-in pressure 700 psi. Backflowed well and returned to injection. Injected 78 barrels	REPAIR WELL	CHANGE PLANS				<u></u>
	7. DESCRIBE PROPOSED OR COMP proposed work. If well	PLETED OPERATIONS (Clearly state is directionally drilled, give subs	all pertinent details, and giv	pletion or Recomp e pertinent dates	letion Report and Log for , including estimated dat	rm.) e of starting
	Reason for work Commenced work perforations Treating press of 3-3/4 barro Backflowed we	rkover was to in kover on 6-16-65 through tubing w sure 1100 to 500 els per minute.	all pertinent details, and give surface locations and measure crease injective. Backflowed the food gallone psi with an avinstant shuttor injection.	vity. well and be of Dowe verage in pressu	treated all lection rate and XL-1 acid jection rate are 700 psi.	rm.) e of starting s and zones
	Reason for work Commenced work perforations Treating press of 3-3/4 barro Backflowed we	rkover was to in kover on 6-16-65 through tubing w sure 1100 to 500 els per minute.	all pertinent details, and give surface locations and measure crease injective. Backflowed the food gallone psi with an avinstant shuttor injection.	vity. well and be of Dowe verage in pressu	treated all lection rate and XL-1 acid jection rate are 700 psi.	rm.) e of starting s and zones p
	Reason for work Commenced work perforations Treating press of 3-3/4 barro Backflowed we	rkover was to in kover on 6-16-65 through tubing w sure 1100 to 500 els per minute.	all pertinent details, and give surface locations and measure crease injective. Backflowed the food gallone psi with an avinstant shuttor injection.	vity. well and be of Dowe verage in pressu	treated all lection rate and XL-1 acid jection rate are 700 psi.	rm.) e of starting s and zones p
	Reason for work Commenced work perforations Treating press of 3-3/4 barro Backflowed we	rkover was to in kover on 6-16-65 through tubing w sure 1100 to 500 els per minute.	all pertinent details, and give surface locations and measure crease injective. Backflowed the food gallone psi with an avinstant shuttor injection.	vity. well and be of Dowe verage in pressu	treated all lection rate and XL-1 acid jection rate are 700 psi.	rm.) e of starting s and zones p
	Reason for work Commenced work perforations Treating press of 3-3/4 barro Backflowed we	rkover was to in kover on 6-16-65 through tubing w sure 1100 to 500 els per minute.	all pertinent details, and give surface locations and measure crease injective. Backflowed the food gallone psi with an avinstant shuttor injection.	vity. well and be of Dowe verage in pressu	treated all lection rate and XL-1 acid jection rate are 700 psi.	rm.) e of starting s and zones p

*See Instructions on Reverse Side

DATE .

APPROVED BY _______CONDITIONS OF APPROVAL, IF ANY:

...m 9-331

FRACTURE TREAT

SHOOT OR ACIDIZE

proposed work. I nent to this work.)

TED STATES

SUBMIT IN 1

FRACTURE TREATMENT

SHOOTING OR ACIDIZING

CATE*

Form approved.
Budget Bureau No. 42-R1424.

ALTERING CASING

ARANDON MENT*

	ALINT OF THE INTERIO	R (Other instruct. on verse side)	5. LEASE DESIGNATION AND	SERIAL NO.
SUNDRY NOTI	CES AND REPORTS ON THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERTY OF THE PROPERT		6. IF INDIAN, ALLOTTEE OR	TRIBE NAME
1. OIL GAS WELL OTHER 2. NAME OF OPERATOR	Water Injection		7. UNIT AGREEMENT NAME Anoth Dait 8. FARM OR LEASE NAME	
TEXACO Inc.	ton, New Mexico 8	7401	9. WELL NO.	
4. LOCATION OF WELL (Report location of See also space 17 below.) At surface		te requirements.*	10. FIELD AND POOL, OR W. Anoth 11. SEC., T., R., M., OR BLK. SURVEY OR AREA	
			34, T408, R24	e, sim
14. PERMIT NO.	15. ELEVATIONS (Show whether DF, RT	, GR, etc.)	San Juan	Utah Utah
16. Check Ap	propriate Box To Indicate Nat	ure of Notice, Report, o	or Other Data	
NOTICE OF INTENT	FION TO:	SUB	SEQUENT REPORT OF:	ı [

CHANGE PLANS (Other) REPAIR WELL (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) *

Reason for remedial work was to increase injectivity.

MULTIPLE COMPLETE

ABANDON*

Commenced workover 5-19-66.

Treated perforations from 5575' to 5585' with 3,500 gallons of 28% MK-HCL acid. Treating pressure was 3,900 to 500 psi with an injection rate of 4 barrels per minute. Instant shut-in pressure was 3,700 psi. On test ending 5-31-66, injected 23 barrels of water in 24 hours with an injection tubing pressure of 1,350 psi.

8. I hereby certify that the foregoing is true and correct SIGNED	TITLE Distr	ct Superintendent _{DATE}	6-14-66
(This space for Federal or State office use)			
APPROVED BYCONDITIONS OF APPROVAL, IF ANY:	TITLE	DATE	-

Form	0221
(May	1963)

UN ED STATES DEPARTMENT OF THE INTERIOR (Other instructions on reverse side)

		Dif	uge	ı.	D	urea	2u	14	υ	4 <i>2</i> –R	142	2
5.	LEAS	E DE	SIG	N	ΑT	ION	AN	D	SE	RIAL	NO.	
1	4	20	-	/	0	3	_	Z	6	75	6	

GEOLOGICAL SURVEY	GEOL	OGICAL	SURVEY
-------------------	------	--------	--------

			6. IF INDIAN, ALLOTTEE OR TRIBE NAME
SUND	RY NOTICES AND REPORTS	S ON WELLS	
(Do not use this for	rm for proposals to drill or to deepen or pl Jse "APPLICATION FOR PERMIT-" for suc	ng back to a different reservoir.	Nacajo
1.	756 ATTENATION TONETTMENT	Troposition,	7. UNIT AGEMENT NAME
OIL GAS	1 1/1/2	// .	A. Al Mait
WELL WELL	OTHER Clater Injec	LLES -	8. FARM OR LEASE NAME
2. NAME OF OPERATOR		1 ml	
12xaco do	ic - Krod, Dept - Ro	cky Min	9. WELL NO.
3. ADDRESS OF OPERATOR	1 - 1 - 71 312	Conta	E 1/21/
120x 810,	Tarming ton 11 111, ort location clerky and in accordance with	8/40/	7-404
4. LOCATIÓN OF WELL (Rep See also space 17 below.	ort location clearly and in accordance with.	any State requirement 8.*	10. FIELD AND POOL, OR WILDCAT
At surface		0 -	unela Tula
7-14 S	150, × 1860 ft. f/ll	1 Lines	11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
815 ft. T/	30, 4 1060 gc. 5/00	. Operate	21 -10 0 10 51
2	ν		24, 1405, K24E, SLI
14. PERMIT NO.	15. ELEVATIONS (Show whether	er DF, RT, GR, etc.)	12. COUNTY OR PARISH 13. STATE
	4649 DF		Dan Juan Mah
16.	CL I A B. T. I. diest	- Natura - Chlotica Panort o	y Other Date
10.	Check Appropriate Box To Indicat		
NO	TICE OF INTENTION TO:	SUB	SEQUENT REPORT OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERING CASING
SHOOT OR ACIDIZE	ABANDON*	SHOOTING OR ACIDIZING	ABANDON MENT*
REPAIR WELL	CHANGE PLANS	(Other)	
(Other)		(Note: Report res Completion or Reco	ults of multiple completion on Well ompletion Report and Log form.)
	COMPLETED OPERATIONS (Clearly state all pert	inent details, and give pertinent da	ites, including estimated date of starting any
proposed work. If v	vell is directionally drilled, give subsurface	locations and measured and true ve	rtical depths for all markers and zones perti-
			_
A THE L	2 1 11 0 - 11	ar Rul y sind	1.00 ml 750 ml.
10-71 - BOD	ack flowed approx.	13 00 + acia .	ya ny 100 got.
	~		
non arid	11/ L-41 Displace	ed w/ 880 gel.	inj. wtr. via the
, org. source,			
00	- -	•	Inj. Test (BWPD)
PS	SI RATE		INJ. 1831 (DUTD)
ŊŊ	Min BPM	ISTP 10MIN	Before after
<u> </u>			
<i>a</i> • <i>i</i>	· · · · · · · · · · · · · · · · · · ·	70	16.02/10 200 225
lcid 2400	1500 3	2600 2100	180@2450 200@2250
Flush 2600	2400 3.		
xuer 2000	2700		
1100	ted u/ 25 gal. ,	broade.	
. / uu	an of		
18. I hereby certify that t	he foregoing is true and correct		
		District Syperation	det DATE 2-16-72
SIGNED -	· care put TITLE	moure regulation	DATE OCTO
(This space for Federa	il or State office use)	N. S	
• •			D.A.MV
APPROVED BY			DATE
COMMITTORS OF REI	are record as another		

*See Instructions on Reverse Side

STATE OF UTAH DIVISION OF OIL, GAS, AND MINING ROOM 4241 STATE OFFICE BUILDING SALT LAKE CITY, UTAH 84114 (801) 533-5771

(RULE I-5)

FORM NO. DOGM-UIC-1

IN THE MATTER OF THE APPLICATION OF Texaco Inc.	·
ADDRESS P. O. BOX EE	CAUSE NO.
Cortez, Colorado zip 81321	ENHANCED RECOVERY INJ. WELL
INDIVIDUALPARTNERSHIPCORPORTATION XX	DISPOSAL WELL
FOR ADMINISTRATIVE APPROVAL TO DISPOSE OR	1
INJECT FLUID INTO THE Anoth Unit F434 WELL	•
SEC. 34 TWP. 405 RANGE 24E	
San Juan COUNTY, UTAH	

APPLICATION

Comes now the applicant and shows the Division the following:


1. That Rule 1-5 (b) 6 authorizes administrative approval of enhanced recevery injections or disposal operations.

Aneth Unit	Well No.	Field	Aneth	County	San Juan
ecation of Enhanced Recovery	Sw# Sec	34	Twp40S		Rgo. 24E
iow Well To Be Drilled Yes 🔲 No XX	Old Well To Be C		Casing Too		Date 10-19-83
Pepth-Base Lowest Knewn resh Water Within ½ Mile		ne Contain ster Within 15 Mile 1			Note Whet Oil & Gas
ocation of Aneth Unit njection Source(s) Wells &	San Juan River	and Dopth of	o(s) Desert Source(s) +/	Creek 8 - 5600'	
Geologic Name of Parado. njection Zone	x: Desert Creek	Depth of Inject	tion 5575 to 5585		,
	575' b. Boso of F				w b) 41651
s the intervening thickness sufficier without additional data?	nt to show fresh water wi	Il be gretected			7700
ithelegy of Intervening Zenes Sa	indstone, lim	nestone &	anhydrite	w/inte	rmittent
njection Rates and Pressures		layers			
			0 00	^	
	Maximum	-,	2,00		
he Name and Add			2,50)PSI	
	To Whom Copies of This A	Application and Atte	2,50)PSI	······································
<u>The Navajo Tr</u>	To Whom Copies of This A	Application and Atte	2,50)PSI	
The Navajo Tr Box 146	To Whom Copies of This A		2,50)PSI	
<u>The Navajo Tr</u>	To Whom Copies of This A		2,50)PSI	
The Navajo Tr Box 146	To Whom Copies of This A		2,50)PSI	
The Navajo Tr Box 146 Window Rock,	To Whom Copies of This A	5	2,50	PSI Sont	Eigld C.
The Navajo Tr Box 146 Window Rock,	To Whom Copies of This Arizona 8651	5	2,50	Soni	Field Su
Box 146 Window Rock, Total Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve Solve So	To Whom Copies of This Aribe Arizona 8651	5 Qhi	2,50	Sent PSI	
The Navajo Tr Box 146 Window Rock, The Navajo Tr Box 146 Window Rock, The Window Rock, Window Rock, Window Rock, Window Rock,	To Whom Copies of This Aribe Arizona 8657	5 Oho appeared A	2,50 schmants Have Bear R. 77.	Sont FSI Sont FOR Y Splicant	inger
The Navajo Tr Box 146 Window Rock, The Mindow Rock, Window Rock, The Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock, Window Rock,	To Whom Copies of This Aribe Arizona 8657 Arizona beta a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second	ofly appeared	2,50 schments Have Beer R. 77 Lucius K who being by me did therein, and that	Sont FSI Sont FOR Y Splicant	inger
The Navajo Tr Box 146 Window Rock, The Mindow Rock, Window Rock, Wi	To Whom Copies of This Aribe Arizona 8657 Arizona beta a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second	ofly appeared	2,50 schments Have Beer R. 77 Lucius K who being by me did therein, and that	Sont FSI Sont FOR Y Splicant	inger
The Navajo Tr Box 146 Window Rock, ste of	To Whom Copies of This Aribe Arizona 8657 Arizona beta a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second a second	5 Oho appeared A	2,50 schments Have Beer R. 77 Lucius K who being by me did therein, and that	Sont FSI Sont FOR Y Splicant	inger
The Navajo Tr Box 146 Window Rock, sete of	To Whom Copies of This Aribe Arizona 8657	ofly appeared	2,50 schments Have Beer R. 77 Lucius K who being by me did therein, and that	Sont Sont PSI PSI Sont PSI PSI PSI PSI PSI PSI PSI PS	ath states, that he is du
The Navajo Tr Box 146 Window Rock, The state of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State of State	To Whom Copies of This Aribe Arizona 8657	etty appeared de la bave instrument, ge of the facts state y of De G., 19	2,50 schments Have Beer R. M. Levin R. who being by me did therein, and that is 8.3 ery Public in and fac	Sont Sont Sont PSI Sont Port Splicant And And And Cols Cols	ath states, that he is du

- 1. Attach qualitative and quantitative analysis of fresh water from 2 or more producing wells within 1 mile of injection well showing location of wells and date samples were taken, or statement as to why samples were not submitted.
 - 2. Attach qualitative and quantitative analysis of representative sample of water to be injected.
- 3. Attach plat showing subject well and all known oil and gas wells, abandoned, drilling and dry holes within ½ mile, tegether and with name of operator.
- 4. Attach Drillers Log (Form DOGM-UIC-2). (Appropriate Surety must be on file with Conservation Division.)
 - 5. Attach Electric or Radioactivity Log of Subject well (if released).
- 6. Attach schematic drawing of subsurface facilities including; Size, setting depth, amount of coment used measured or calculated tops of coment surface, intermediate (if any) and production casings; size and setting depth of tubing; type and setting depth of packer; geologic name of injection zone showing top and bottom of injection interval.
- 7. The original and 6 copies of application, and one complete set of attachments shall be mailed to the Division.
- 8. Deliver 1 copy of application to landowner on whose land injection well is located and to each operator of a producing leasehold within ½ mile of injection well.
- 9. Affidavit of mailing or delivery shall be filed not later than five days after the application is filed.
- 10. Notice that an application has been filed shall be published by the Division in a newspaper of general circulation in the county in which the well is located. The Division shall file proof of publication before the application is approved. The notice shall include name and address of applicant, location of proposed injection or disposal well, injection zone, injection pressure and valume. If no written objection is received within 15 days from date of publication the application will be approved administratively.
- 11. A well shall not be used for injection or disposal unless completed machine accounting Form DOGM-UIC-3b is filed September 1st, each year.
- 12. Approval of this application, if granted, is valid only as long as there is no substantial change in the operations set forth in the application. A substantial operation change requires the approval of a new application.
 - 13. If there is less intervening thickness required by Rule I-5 (b) 4 attach sworn evidence and data.

CASING AND TUBING DATA

NAME OF STR	ING SIZI	SETTING DEPTH	SACKS CEMENT	TOP OF CEMENT	TOP DETERMINED BY
Surface	13 है	" 45'	/50	NA	· · · · · · · · · · · · · · · · · · ·
Intermediate	95		925	NA	
Production	5 ½		500	NA	
Tubing	23		Baker-	e - Type - Depth of	Tubing Pocker
Total Depth 5603'	Geologic Name	- Inj. Zone Dep	oth - Top of Inj. In 5575'	iterval Depth	- Base of Inj. Interval 5585'



Water-Bbl./day **Pemping or Flowing**

CHOKE SIZE

PLOW TURNIG PRESSURE

FORM DOGM (Rule I-5 (b)) 2					leted) /4-2	E TYPE OR USE 0-603-2056 COUNTY IEASE NO.
_	THE THOM OC	esert Cree	MISION OF OIL Room 4241 Se Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sell Lehe C Sel	Corter Aneth I TED 1-24 FECOUCTION NW & SO FECOUS ROOR	1000 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	INC	10 81321
Comingle LOCATION E	d		Order N			 Penak	ly
			OR OR	GAS ZONES			
N	lame	From	Te		Nome	Fre	um Te
Deser	t Creek	5564	1 5603				
	· · · · · · · · · · · · · · · · · · ·						
	Cosh	ng Sol	CASINE	& CEMENT	T	Coment	
Size	Wgs	Grado	Foot	Pol	Son	Fillup	Top
133"	48 #4	Н	415	NA	150	-	NA
92" 52"	36 */4+ 15 */1+	J NA	1522 5603	NA NA	925 500	`	NA
					101	AL DEPTH	5603

PACKERS SET 5455 KB

COM	PLETION & TEST DATA BY I	PRODUCING FORMATION 2	3
PORMATION	Desert Creek		
SPACING & SPACING ORDER NO.	40 acre	40 acre	
CLASSIFICATION (Oil; Gos; Dry; Inj. Woll)	Oil		· · · · · · · · · · · · · · · · · · ·
PERPORATED	5575-85		
INTERVALS			
ACIDIZED?	Acidized w/8500 gal HCI regular	·	
. PRACTURE TREATED?	No		
INITIAL TEST DATA			
Date	2-21-58		
Oil. bbl./day	1233		
Oil Gravity	4/		
Gos. Co. Ft./day	2,252,308	æ	C
Gas-Oil Ratio Co. Pt./861.	495		

rd of the formations drilled through, and partinent remarks are presented on the reverse.

(use reverse side)


Flowing 48/64

200#

I, the undersigned, being first duly swern upon eath, state that this wall record is true, correct and semplate according to the records of this office and to the best of my knowledge and belief.

10.00 1-303-565-840) / 51872 05 Coloredo	lank many	Field Supt.
State of Colorado	Hame and title of represented	tive of company
Commerty of Montezun Subscribed and swarn before me this _	16 - my Decembe	<u>r, 19 83 </u>
My Commission exp	ires for B. Koy	lat.
10/25/87	ATON BOOCH A	arted Co. 0136

		e ea.	T-405-R24E			7.405-R25E	
	\$100 1200 \$170 atom	LICT	San Juan, Co	inty Wah		San Juan Com	nzy, Wah
. 1307 . 1307 . 1307 . 1307 . 1307	(1300 1500 1500 0000 0000	1 (140) (140) (140)	10	2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April 2011 April	12 	7	•••••••••••••••••••••••••••••••••••••
7 m 0 0 110 0 110	**** **** **** ***********************	, , , , , , , , , , , , , , , , , , ,	7111) 743	• • • •	Y		. (1)
10 (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120) (120)	10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17" . 10" p. 17"	130 16 person 174	710 13 020 130 710 13 130 130	19 19 19 19 19 19 19 19 19 19 19 19 19 1	(5)	+' 16	n +
**	100 1100 100 100 100 100 100 100 100 10	-EAST		به الرابع المابع الم			
19 (10) (10) (10) (10) (10) (10) (10) (10)	1310 \$310.20 \$120 10H	(C) (C) (C) (C) (C) (C) (C) (C) (C) (C)	4122 22 422 4222 422 422 422 4221 422 422 422 4221	(23 (23) (23) (23) (24) (24) (24) (25) (25) (25) (25) (25) (25) (25) (25	1224 pare 1224 1234 pare 124 1534 24 6324 154 0 124 pare 124	, m m m v 19 m m m m m m m m m m m m m m m m m m	23
Hall	6E420 A F1/25 A G123	01 421 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441 1441	100 100 100 100 100	101 101 102 mm 101	6124 6124 6124 6124 6124 6124 6124	213 A 8130 U.S. 1930	
t 30	7209			13. 13. 14. 14. 14. 14. 14. 14. 14. 14. 14. 14	2223 2222 1922 1223 25 632 1922	. 0	OC 0
			• • • • • • • • • • • • • • • • • • • •		100		
					0 0	6	
	,	1 4 1 8 2 9		35 137 HA311			***



INSTRUCTIONS -	CANCELS LETTERISI OF	SIGNED BY	
IEXACO PERMANENT	- ROUTINE	TEMPORARY	
	•		• • •
			19
		(LOCATION)	(DATE)
	Sı	ibject: Water	analysis from
			Flagifer
		10 Hoate) Flüdikal
Aneth Unit H415			
Location- SEYA - SEYA Soc	15. TAOS	RZAE	
Sample Date - 1-17-5	59		_
Day of the same	2.		7 3 ★ * 5
Capth : Novajo Acmits		-	
Tono- 67° F			
Ph - 8.7			
Total Oissolved Solicle -	2573 00):W	
	(\		•
S.O - 1600m	00=	- 130 ppm	-
5102 - 16ppm	11003-	150	
Cat - 7ppm Matt - 28 ppm		- 156 ppm	
Mg - 28 Pam.	204-	- 599 ppm	
Nd+ - 76 ppm		- 757 ppm	
		:	
Anoth Unit GAZZ			:
Location- SW/4-SE/4	500 27 T	7 V C O 2 V E	•
Location - JW /4 - JE /4.	SAC QQ 1 1	703,17031	
Sample Date- 1-18-59			
Dooth- Davago Agrite	<u>^</u>		
70mn - 670F			
D10 - 9.3		••	-
Total Orseduced Solich	⊃893 Jam		-
10 to 1 013 to 100 33 1100 -	3000 7 11 11 11 11 11 11 11 11 11 11 11 11 1		
	0 = = 0 = .		
5,02-17ppm	CO3-45.	76bm-	
Cat - 600m	17 COJ - 9	id pam	
mett - 8 nom	So; = - 3	2650m	
11.2+ - 915000	() 2	71 00m	
- 1013 Talppa		1.1.1.	
King.		1 0	TO-00 5. No-
" Note those numbers.	mole 250	anog ton	18xACO FILLON
-In the Denver Du	200 20101 2009	× 2100	
If letter requires reply prepare in triplicate, for- warding original and duplicate, and retain copy.	Denver,	<u> </u>	
and the second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second second s	Chick.	80201 By	

Company of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the s

						SHEET NUMBER
						IDATE
7:04247						SAFRELE
TEXACO, THE	ORPORATED		FCOUNTY	DR PAPISM		STATE
TREAD			1	NAUT W		UTAH
ANETH	WEL . 3. NAME	25 70	, -	00 FCE FEE		
L SE SE UNIT	!	N WATER				
ANETH	SEMPLE SOUNCE	- Ewa F	1	EBL DAY 10	HL. Palisay	641, MICF SA
SERTHLETT. SHILE	PLANT	1				
5.05 \$ \$ 449 \$ 2.60	THRE OF WATER		<u></u>			
1 6 AGREL 1982		≥ 54==4		X NATES	.:::	To skut materia
		TER ANALYSIS		2		*
		E 104 57 KEDL 180				
15	,			•	10 15	<u></u>
				1		
-n !						1 1 1 1 HC
100 Ca			计十六		1 1 1 1	
=-100 Mg 1 1 1 1 1		1 1 1 1	1 1/1 1	1 1 1 1		- - - sc
			'/' '			1 1 1 1 1 1
			1 1 1 1		:	1111 cc
30.1 Fe 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		<u> </u>	<u> </u>			
	1		_		C 4 5 7 5	
-13.350LVED SOLIDS			ū	DISSOLVED	GASES	
-		<i>;</i> , .	_ ,		ife to the E	7376/!
CATIONS	me/l*	<u>ma /1</u> *		Hydrogen Sul		337.5 mg/l- 185.0 mg/l-
-Total hardness	392.0	= 7/		Carbon Diaxi	ide, CU2	1.0 mg/l
Calcium, Ca **	268.0	5360		Oxygen, Oz		
Magnesium, Mg	124.0	1519		311V616 A1 5	חחחרהדור	. •
ron (Total) Ferri	0.5			PHYSICAL I	PROPERTIES	**.
Barrum, Barr			· O			6.65
Maricalc.)	1035.1	2380		eH _		
				En (Pedox P		N.D. MV
EN, ONS	- 4	4		Ises is Go T		
y-Chioride, ClT	1360.3	47100		Turs arry, Ji Turs arry, Ji		<u>N.D.</u> 8:385.3 mg "
l Sufface &SO		1175			wed Spirds (coic.)	
Colordie, COst	<u> </u>			Inda biy ind		$\frac{-c.39}{+1.32}$
=3.carbonote, HCO3	4.0			~ - ~ - · ·	€ <u>140</u> F	
Hydroxyl, OH -	0.0			(a50 + 50105	ility <u>§ 77</u> F	306.6 Me/
Sulfide, S=	18.8	<u> 3 α</u>	<u>5.5</u>		€ <u>176</u> F	306.8 Me/1 24.5 Me/1
					Possible (caic.)	
<u> </u>					Possible (calc.)	1.0 mg/
U				Residual Hy	er de ar pons	N.D. ppm
	1.17.6.711/51					
AUSPENDED SOLIDS (QUA	LITATIVE)			•	•	
Iron Sulfide \(\) Iron O:	xide□ Calcium Ca	rbanate∏	Acid Inse	ماساء ا	NOTE: me/1	and mg/1 are con
		i politicie (F1610 11136			ngeably for epm c:
FREMARKS AND RECOMME	NDATIONS:		~ =			Where epm and p
WATER SHOWS A	TENDENCY TOWA	SD ECALEN	G; PR=	MARTLY		ons should be mo
CALCIUM CARE	NATE				specific gravi	
<i>5</i> -					. •	
					is a second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of the second of t	FOME =-?
STO SHOWEER	D: 57. 40.	ACLAESS			DEFICE PHONE	
HARK BROTHERS	5 12	こく こくん スペーペ	GTON !	N.M.	505-325-57	701 505.375

CHECKLIST FOR INJECTION WELL APPLICATION AND FILE REVIEW

Operator: Jesto	Well No. anethellut F434
County: Sampan T 406 R Z	45 Sec. 34 API# 43-037-16303
Hew Well Conversion Disposal	Well Enhanced Recovery Well
	YES NO
UIC Forms Completed	
Plat including Surface Owners. and wells of available record	Leaseholders,
Schematic Diagram	
Fracture Information	
Pressure and Rate Control	
Adequate Geologic Information	<u> </u>
Fluid Source	Olser out I Ime
Analysis of Injection Fluid	Yes No TDS 81385
Analysis of Water in Formation to be injected into	Yes No TDS <u>2/138</u> 5
··· Known USDW in area	1/10 Depth 1/10
Number of wells in area of rev	iew
Aquifer Exemption	Yes NA
. Mechanical Integrity Test	Yes No
· · · · · · · · · · · · · · · · · · ·	DateType
Comments:	
box	
Reviewed by:	

5. LEASE

UNITED STATES DEPARTMENT OF THE INTERIOR

SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.) 1. oil gas well other Water Injection 2. NAME OF OPERATOR Texaco Inc. 3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815'FSL & 1860'FWL AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA Nav. 7. UNIT AGREE Ane Ane Sec Ane Sec Nature of Notice And Sec Ane Ane Ane Ane Ane Ane Ane Ane Ane Ane	th Unit ASE NAME F434 ILDCAT NAME neth M., OR BLK. AND SURVEY OR 4. T40S, R24E PARISH 13. STATE an Utah
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.) 1. oil gas well other Water Injection 2. NAME OF OPERATOR Texaco Inc. 3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815 FSL & 1860 FWL AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT 7. UNIT AGREE Ane	EMENT NAME th Unit EASE NAME F434 ILDCAT NAME neth M., OR BLK. AND SURVEY OR 4, T40S, R24E PARISH 13. STATE an Utah
(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.) 1. oil gas well other Water Injection 2. NAME OF OPERATOR Texaco Inc. 3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815 'FSL & 1860 'FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT 10. FIELD OR W An example of the subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of plug back to a different of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequence of subsequen	TASE NAME F434 ILDCAT NAME neth M., OR BLK. AND SURVEY OR 4. T40S, R24E PARISH 13. STATE an Utah
1. oil gas well other Water Injection 2. NAME OF OPERATOR Texaco Inc. 3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815'FSL & 1860'FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 18. FARM OR LE 9. WELL NO. 10. FIELD OR W AIL NO. 11. SEC., T., R., AREA Sec 34 12. COUNTY OR San Jua 14. API NO. 15. ELEVATIONS 464	F434 ILDCAT NAME neth M., OR BLK. AND SURVEY OR 4: T40S, R24E PARISH 13. STATE an Utah
1. oil gas well other Water Injection 2. NAME OF OPERATOR Texaco Inc. 3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815 FSL & 1860 FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 17. FIRM OR LECTOR S. FARM	F434 ILDCAT NAME neth M., OR BLK. AND SURVEY OR 4. T40S, R24E PARISH 13. STATE Utah S (SHOW DF, KDB, AND WD)
well well other Water Injection 2. NAME OF OPERATOR Texaco Inc. 3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815 FSL & 1860 FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF	ILDCAT NAME neth M., OR BLK. AND SURVEY OR 1. T40S, R24E PARISH 13. STATE DITALE S (SHOW DF, KDB, AND WD)
2. NAME OF OPERATOR Texaco Inc. 3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815 'FSL & 1860 'FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT 10. FIELD OR W AREA Sec 34 12. COUNTY OR San Jua 14. API NO. 15. ELEVATIONS 464	ILDCAT NAME neth M., OR BLK. AND SURVEY OR 4. T40S, R24E PARISH 13. STATE an Utah S (SHOW DF, KDB, AND WD)
Texaco Inc. 3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815 'FSL & 1860 'FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT 10. FIELD OR W AT 11. SEC., T., R., AREA Sec 34 12. COUNTY OR San Jua 14. API NO. 15. ELEVATIONS 464	ILDCAT NAME neth M., OR BLK. AND SURVEY OR 1. T40S, R24E PARISH 13. STATE DITALE S (SHOW DF, KDB, AND WD)
3. ADDRESS OF OPERATOR P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815'FSL & 1860'FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT 11. SEC., T., R., AREA Sec 34 12. COUNTY OR San Jua 14. API NO. 15. ELEVATIONS 464	neth M., OR BLK. AND SURVEY OR 4; T40S, R24E PARISH 13. STATE D Utah S (SHOW DF, KDB, AND WD)
P.O. Box EE Cortez, Colorado 81321 4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815'FSL & 1860'FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT 11. SEC., T., R., AREA Sec 34 12. COUNTY OR San Jua 14. API NO. 15. ELEVATIONS 464	M., OR BLK. AND SURVEY OR THE THE THE THE THE THE THE THE THE THE
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.) AT SURFACE: 815 FSL & 1860 FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT AREA Sec 34 12. COUNTY OR San Jua 14. API NO. 15. ELEVATIONS 464	4, T40S, R24E PARISH 13. STATE Utah S (SHOW DF, KDB, AND WD)
AT SURFACE: 815 FSL & 1860 FWL AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: 15. ELEVATIONS 464 15. ELEVATIONS	PARISH 13. STATE THE STATE Utah S (SHOW DF, KDB, AND WD)
AT TOP PROD. INTERVAL: AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT San Jua 14. API NO. 15. ELEVATIONS 464	utah S (SHOW DF, KDB, AND WD)
AT TOTAL DEPTH: 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT 14. API NO. 15. ELEVATIONS 464	S (SHOW DF, KDB, AND WD)
14. API NO. 16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT	
REPORT, OR OTHER DATA REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT 15. ELEVATIONS 464	
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT	
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT TEST WATER SHUT-OFF TE	19 'KB
TEST WATER SHUT-OFF FRACTURE TREAT	
FRACTURE TREAT	
SHOOT OR ACIDIZE	
REPAIR WELL (NOTE: Report re	sults of multiple completion or zone
PULL OR ALIER CASING change or	n Form 9 –330.)
MULTIPLE COMPLETE CHANGE ZONES CHANGE ZONES	
ABANDON*	
(other)	
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent deta including estimated date of starting any proposed work. If well is directionally drilled, measured and true vertical depths for all markers and zones pertinent to this work.)*	ails, and give pertinent dates, give subsurface locations and
was a series of the work.)	
1-13-83 MIRUSU. Unset Md. R Packer and TOOH W	/2-7/8" tubing
Layed down old tubing. TIH W/2-3/8" Plastic Coa	tad tubing.
5-1/2" Baker Model P 2 Proken and make make	red tubing and
5-1/2" Baker Model R-3 Packer and set packer at	5228.73KB.
Pressure test backside to 1000# and inhibited a	nnulus. Returned
well to water injection status. We did not mill	out Model N
Packer as originally planned on our 9-1-82 Sun	dry Notice. We
are injectiong thru the Model N packer at 5560.	This Sundry is
in reference to your memo of June 28th. 1983.	, , , , , , , , , , , , , , , , , , ,
1	
•	
Subsurface Safety Valve: Manu. and Type	Set @ Ft.
18. I hereby certify that the foregoing is true and correct	and the second of the second
SIGNED A.R. Marx E John TITLE Field Supt. DATE	6/30/83
(This space for Federal or State office use)	
TITLE DATE	
TITLE DATE	
BLM (4) DCCC (3) Navajo Tribe - Superior Oil -	TNH -CDF - ARM
JL 0 6 1983	

*See Instructions on Reverse Side

Utah Division of Oil, Gas, and Mining Casing - Bradenhead Test

Operator:

TEXACO INC.

Field/Unit: GREATER ANETH

Well:

F-434

Welltype: INJW Max Pressure: 2500

NAVAJO

API:

43-037-16303

10/19/83

Lease type: INDIAN

Last MIT Date:

Witness: F

Township: 40S

Surface Owner:

Test Date: 9-20-87

Sect:34

CASING STRING

SIZE

PRESSURE

OBSERVATIONS

Range: 24E

Surface:

133/8

45

SET AT

Intermediate:

9 5/8

1522

Production:

5 1/2

5603

Other:

O

Tubing:

2 3/8

Rade @ DS/Con/

Packer:

5455

Recommendations: OK

TRANSFER OF AUTHORITY TO INJECT - UIC FORM 5



•	DIVISION O
Well name and number:	See Attached Listing OIL GAS & MIN
Field or Unit name:	API no
Well location: QQ section t	ownship range county
Effective Date of Transfer: 6-1-91	
CURRENT OPERATOR	
Transfer approved by:	
NameR. S. Lane	Company Texaco Inc.
Signature / Same	Address P. O. Box 3109
Title Attorney-in-Fact	,
Date	Phone (915) 688-4100
	3300 North Butler Farmington, NM 87401 (505) 325-4397
NEW OPERATOR	\$ 5
Transfer approved by:	Texaco Exploration and Company Production Inc.
Signature Avalue	
TitleAttorney-in-Fact	Midland, TX 79702
Date	Phone (915) 688-4100
Comments: Correspondence Address:	Texaco Exploration and Production Inc. 3300 North Butler Farmington, NM 87401 (505) 325-4397
(State use only) Transfer approved by	Title MTC MANAGER
Approval Date 6-26-91	

Texaco Exploration and Production Inc Midland Producing Division P O Box 3109 Midland TX 79702-3109

May 22, 1991

MEGINE VI

MAY 2 8 1991

DIVISION OF OIL GAS & MINING

Division of Oil, Gas, and Mining Attn: Ms. Lisha Romero 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203

Gentlemen:

This is to advise that as a part of a reorganization of Texaco Inc., a Delaware corporation, the name of Texaco Producing Inc., a Delaware corporation and wholly owned subsidiary of Texaco Inc., has been changed to Texaco Exploration and Production Inc. Further, Texaco Exploration and Production Inc. will succeed to the rights, titles, interests and obligations of Texaco Inc.

This means that Texaco Exploration and Production Inc. will be the operator for all the oil and gas properties that were operated by Texaco Inc. and Texaco Producing Inc. We plan to abbreviate the name as Texaco E & P Inc. for purposes of submitting production reports, etc., via computer, and we suggest that for consistency you use that abbreviation also.

We have enclosed a Sundry Notice with a list of the wells which Texaco operates in Utah. Also attached is UIC Form 5 for transfer of injection authority. Please note that Texaco has two Divisions which operate wells in Utah. One is located in Denver, Colorado, and the other is in Midland, Texas. We have enclosed separate Sundry Notices and lists of wells for each Division. If you have questions concerning the Denver-operated wells, please call Roger Hadley at (303) 793-4833. If you have questions concerning the Midland-operated wells, please call Ken Miller at (915) 688-4834.

Please change any of your other records as necessary to reflect this change.

Yours very truly,

R. S. Lane

Assistant Division Manager

RKH/KMM-CC

Attachments

DEPARTMENT OF NATURAL RESOURCES

SUBN	1.8	TRIPLE	MF	٠
		tructions	1311	
	(6.) t. L	in dip t		

DIVI	SION OF OIL, GAS, AND MIN	ING	5. LEASE DESIGNATION IND SESIAL NO.
SUNDRY NO	TICES AND REPORTS O	N WELLS	6. IF INDIAN, ALLOTTES OR TRIBS NAME
OIL UAB		v	T. UNIT AGREEMBNY FAME
MAKE OF CPERATOR			A. FARM OR LEASE NAME
Texaco Exploration	and Production Inc.	DIECHMIN	
ADDRESS OF OFSEATOR			9. WELL NO.
P.O. Box 46510, D		MAY O O 1001	
LOCATION OF WELL (Report location in the state of the location in the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of the surface of	a clearly and in accordance with any S	tate requirementals 1771	10. FIELD AND POOL, OR WILDCAT
		DIVISION OF	11. ESC., T., B., M., OR BLE, AND
		OIL GAS & MINING	SORVET OR LESS
. PERMIT NO.	I IL BLEVATIONS (Show whether or.		12. COUNTY OR PARISH! 18. STATE
	10. octations (see and sector of,	er, un que,	
. Check	Appropriate Box To Indicate N	ature of Notice, Report, or	Other Data
NOTICE OF IN	•		QUEST ESPOST OF:
TEST WATER SHUT-OFF	PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL
FRACTURE TREAT	MULTIPLE COMPLETE	PRACTURE TREATMENT	ALTERING CARING
SHOOT OR ACIDIZE	ABAMDON®	EMOUTING OR ACIDIZING	ABAMUOHMENT*
REPAIR WELL	CHANGE PLANS	(U)tneri	f Owner/Operator
(Other) Transfer of Pl	30	Completton or Recom	ts of multiple completion on Well spiction Report and Log form.) s. including estimated date of starting a
responsibility and lia	Inc. has assigned all i _, 19'91, Texaco Inc. i kaco Exploration and Pro ability under its good a ssion for proper pluggin	is no longer the Operaduction Inc. hereby and sufficient bond of	rator of subject well. accepts operating or other security
Former Operator:		New Operator:	
TEXACO INC.	1	Texaco Explor	ation and Production Inc.
Stand 1/1		^Signed:	n/a Jan
Signed: Attorney-In-F	- Comment	Title: Divi	sion Manager
for Texaco In		TICLE. DIVI	/ /a
IOI TERACO III	~ .	Date: 3/	11191
Date: 3/1/91		- 3/	
•	Λ		
18. I hereby certify that the forget		Division Manager	3/1/9/
SIGNED 6/1			DATE
(This space for Federal or Sta	te office use)		
APPROVED BE	TITLE		DATE

Form 9.

STA_OF UTAH DEPARTMENT OF NATURAL RESOURCES

ر ا	6. Lease Designation and Serial Number
	7. Indian Allottee or Tribe Name
ella.	8. Unit or Communitization Agreement
	9. Well Name and Number
	10. API Well Number
	11. Field and Pool, or Wildcat
ounty	:
ate	: UTAH PRT, OR OTHER DATA
	QUENT REPORT Original Form Only)
ubmit (
	New Construction Pull or Alter Casing
	Shoot or Acidize
tion	☐ Vent or Flare
	☐ Water Shut-Off
of	Operator/Operator Name
on	
omplet	tions and Recompletions to different reservoirs OMPLETION AND LOG form.
a cen	nent verification report.
dates.	If well is directionally drilled, give subsurface
	,
	of the attached wells.
reby	accepts operating re-
d or	other security accepted
	the attached wells. All n the same.
. 4	EXACO EXPLORATION AND
1	DANCO DALLONGILLON DUO

DIVISION OF OIL, GAS AND MININ	
	7. Indian Allottee or Tribe Name
SUNDRY NOTICES AND REPORTS OF	N WELLS
Do not use this form for proposals to drift new walls; deepen existing wells; or to rest Use APPLICATION: FOR PERMIT— for such propos	
1. Type of Well	9. Well Name and Number
☑ Oil ☐ Gas ☐ Other (specify)	AO ADI Wall Number
2. Name of Operator Texaco Exploration and Production Inc.	10. API Well Number
3. Address of Operator	4. Telephone Number 11. Field and Pool, or Wildcat
3300 North Butler, Farmington, NM 87401	(505) 325–4397
5. Location of Well	
Footage : OO Sec T. B. M. : See Attached	County: State: UTAH
NOTICE OF INTENT	SUBSEQUENT REPORT
(Submit in Duplicate)	(Submit Original Form Only)
Abandonment New Construction	Abandonment * New Construction
Casing Repair Pull or Alter Casing	☐ Casing Repair ☐ Pull or Alter Casing ☐ Change of Plans ☐ Shoot or Acidize
☐ Change of Plans ☐ Recompletion ☐ Conversion to Injection ☐ Shoot or Acidize	Conversion to Injection Vent or Flare
	Fracture Treat Water Shut-Off
☐ Fracture Treat ☐ Vent or Flare ☐ Multiple Completion ☐ Water Shut-Off	X Other Change of Operator/Operator Name
X Other Transfer of Plugging Bond	
	Date of Work Completion
Approximate Date Work Will Start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a cement verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertin	
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS Clearly state air pertire locations and measured and true vertical depths for all markers and zones pertired.	nent to this work.)
	,
This submittal is for a change of operator (The new operator, Texaco Exploration and Pro sponsibility and liability under its good ar by the Department for proper plugging and su contact personnel, office addresses and phor	eduction Inc., hereby accepts operating re- nd sufficient bond or other security accepted arface restoration of the attached wells. All
FORMER OPERATOR: TEXACO INC.	NEW OPERATOR: TEXACO EXPLORATION AND PRODUCTION INC.
SIGNED: Attorney-in-Fact	SIGNED: Assistant Division Manager
DATE:	DATE:
14. I hereby certify that the foregoing is true and correct	
Name & Signature	Title Asst. Div. Manager Date
(State Use Only)	

	of Oil, Gas and Mining OR CHANGE HORKSHEET	Routing:
tach al iitial e	Il documentation received by the division regarding this change. each listed item when completed. Write N/A if item is not applicable.	2- DTS-D (5 3- VLC 1 4- RJF
	ge of Operator (well sold) gnation of Operator XXX Operator Name Change Only	5- RWM 6- LCR ee
•	FARMINGTON, NM 87401 BRENT HELQUIST phone (505) 325-4397 FARMINGTON, NM 87401 phone (505 phone	······································
	(attach additional page if needed):	
Name:_ Name:_ Name:_ Name:_ Name:	(SEE ATTACHED) API: Entity: Sec Twp Rng API: Entity: Sec Twp Rng	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
PERATO	DR CHANGE DOCUMENTATION	
<u>ce</u> 1.	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been roperator (Attach to this form). (5-28-41)	eceived from <u>former</u>
	(Rule R615-8-10) Sundry or other <u>legal</u> documentation has been received (Attach to this form).	
	The Department of Commerce has been contacted if the new operator aboperating any wells in Utah. Is company registered with the state yes, show company file number: #114097	ove is not currently ? (yes no) If
Lefa.	(attach Telephone Documentation Form to this report). Make not comments section of this form. Management review of Federal and changes should take place prior to completion of steps 5 through 9 be	e of BLM status in Indian well operator elow.
<u>for</u> 5.	Changes have been entered in the Oil and Gas Information System (War listed above. (6-11-91)	ng/IBM) for each well
<u>lor</u> 6.	Cardex file has been updated for each well listed above.	11 ((1)
CE 7.	Well file labels have been updated for each well listed above. (ω) μ ω ρ	date when tiling!
	Changes have been included on the monthly "Operator, Address, and A for distribution to State Lands and the Tax Commission.	_
Jef 9.	A folder has been set up for the Operator Change file, and a copy of placed there for reference during routing and processing of the orig	of this page has been inal documents.
	•	

- OVER -

RATOR CHANGE WORKSHEET (CONTINUED) Ini each item when completed. Write N/ item is not applicable.
TITY REVIEH
(Pl. (Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies (Form 6, Entity Action Form).
1/2. State Lands and the Tax Commission have been notified through normal procedures of entity changes.
ND VERIFICATION (Fee wells only)
Pl. (Rule R615-3-1) The new operator of any fee lease well listed above has furnished proper bond. # K0290791-4 80,000-Ins. Co. of N. America rec. 2-11-91.
\mathcal{L}_2 . A copy of this form has been placed in the new and former operators' bond files.
H3. The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by lett dated 19 # m157448 80,000-Ins. G. of N. America
ASE INTEREST OHNER NOTIFICATION RESPONSIBILITY
Al. (Rule R615-2-10) The former operator/lessee of any fee lease well listed above has be notified by letter dated 19, of their responsibility to notify a person with an interest in such lease of the change of operator. Documentation of su notification has been requested.
152. Copies of documents have been sent to State Lands for changes involving State leases. $(-2.7-9)$
LMING
1. All attachments to this form have been microfilmed. Date: 15 1981
LING
$\underline{\mathscr{U}}$ 1. <u>Copies</u> of all attachments to this form have been filed in each well file.
42. The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operat Change file.
MHENTS
910/00/0 Blom / Farming fon N.M Duene Spences (505) 327-5344 will follow up & Call
910/00/ Bfm / Farming fon N.M Duane Spences (505) 327-5344 will follow up & Call, 410/007 Bfm / Farming fon - Approved 4-2-91 "Company Murger" Includes Anuth Unit
and Ismay Flodine Unit.
910/007 St. Lands approved 4-15-91 "Merges".
71/34-35

WELL NAME

05/02/91 DATE:

WELL ENTITY API PROD TOWN RANGE SEC OTR FIELD NAME FLD COMPANY NAME ACCT ZONE STATUS QTR NUMBER SHIP NUM NUM \$400 E240 29 SENW 14303716292 PRDX WIW 99990 NAVAJO TRIBE S-4 (ANETH F 365 GREATER ANETH NO980 TEXACO INC 5400 E240 29 SENE 4303716318 PRDX WIW 99990 NAVAJO TRIBE S-3 (ANETH HE \$400 E240 29 NWNE 4303716097 PRDX WIW 99990 NAVAUO TRIBE S-1 (ANETH GE 5400 E240 29 NWNWL43037.16055 PRDX WIW 99990 NAVAUO TRIBE S-2 (ANETH E 5400 E240 34 SENEL4303716319 PRDX WIW 99990 ANETH 34-D2 (ANETH H-234) S400 E240 34 SESW 43037,16303 PRDX WIW 99990 ANETH 34-B-4 (ANETH F-434 5400 E240 35 SENE 43037,16320 PRDX WIW 99990 NAVAUO TRIBE Q-4 (ANETH HA 35 SENW 43037,16293 PRDX WIW 99990 NAVAJO TRIBE Q-5 (ANETHAF S400 E240 35 SESWL4303716304 PRDX WIW 99990 NAVAJO TRIBE Q-8 (ANETH F. S400 E240 \$400 E240 36 SENE 43037,15487 PRDX WIW 99990 NAVAUD 1 (ANETH H-236) 5400 E240 36 SENW 4303716294 PRDX WIW 99990 NAVAUD 3 (ANETH F-236) 5400 E240 36 NWNW143037.15485 PRDX WIW 99990 NAVAUO 4 (ANETH E-136) \$400 E250 13 SWSE 4303716455 PRDX PA 99998 NAVAUO TRIBE K-13 (Q-413) 380 ISMAY SWSE 14303716140 PRDX WIW 99990 ANETH UNIT L-419 5400 E250 365 GREATER ANETH 19 5400 E250 24 NENE 43037,16169 ISMY WIW 99990 R-124(NAVAUO TRIBE K-#11) 380 ISMAY \$400 E250 29 NWNW 43037,16131 DSCR WIW 99990 NAVAUD TRIBE F-8 (ANETH J 365 GREATER ANETH 30 NWSW 43037,16134 PRDX WIW 99990 NAVAUO TRIBE F-5 (ANETH JE S400 E250 30 NWSE24303716139, PRDX WIW 99990, NAVAUO TRIBE, F-6 (ANETH L S400 E250 30 SESW 43037.16137 PRDX WIW , 99990 NAVAJO TRIBE. F-7, (ANETH K. S400 E250 99990 NAVAJO TRIBE F-9 (ANETH J 30 NWNW 4303716132 PRDX WIW S400 E250 99990 NAVAJO TRIBE F-10 (ANETH \$400 E250 30 SENEL4303716141 PRDX WIW 99990 NAVAJO TRIBE F-2 (ANETH K \$400 E250 30 SENW 4303716135 PRDX WIW \$400 E250 30 SESE 4303716337 PRDX WIW 99990 NAVAUD TRIBE F-11 (ANETH 4 S400 E250 31 SENW 4303716335 PRDX WIW 99990 NAVAJO TRIBE C-22-31 (ANE 5410 E220 22 NENE 4303711254 ISMY PA 99998 NAVAJO TRIBE "AH" #1 375 HOGAN 99998 NAVAJO K-1(V219) 19 NENE 4303716519 ISMY PA S400 E260 365 GREATER ANETH NWNE 303731522 DRL 99999 ANETH F407SE S400 E240 18 NENE 4303731529 DSCR POW 7000 ANETH H129 S400 E240 29 5400 E240 35 NWNE 303731530 DRL 99999 ANETH G135X \$400 E240 35 NENE 4303731531 DSCR POW ... 7000 ANETH H135 S400 E240 25 NWSEL4303731532 DRL 99999 ANETH G325Y. S400 E240 23 NWSEL4303731533 DRL 99999 ANETH G323X \$400 E240 18 NENW 4303731534 DSCR POW 7000 ANETH E407SE \$400 E240 18 SWNE 303731535 DRL 99999 ANETH F118SE 5400 E240 18 NESW 4303731536 DRL 99999 ANETH F2185E \$400 E230 12 .SENE 43037,16278 DSCR ... WIW ... 99990 ... BURTON 42-12 (ANETH D212) 99998 THOUSAND PEAKS RANCH NCT NO10 E080 12 SENW 4304330175 PA 1 WILDCAT SESE 4303731557 DRL 99999 ANETH UNIT G323SE 365 GREATER ANETH S400 E240 23 103.14S400 E240 23 NENEL 4303731556 DRL 99999 ANETH UNIT H123NW \$400 E240 14 SESW 4303731559 DRL 99999 ANETH UNIT F314SE \$400 E240 23 SWSW, 4803731558 DRL 99999 ANETH UNIT E423SE \$400 E240 26 SENW 4303731560 DRL 99999 ANETH UNIT F226SE 1000 \$400 E240 23 NWNW 4303731561 DRL 99999 ANETH UNIT E123SE \$380 W020 5 SESW 4302530009 PA 99998 GOVT SCHNEIDER 'A' NCT-1 \$400 E240 7 NWSW 43037.154.12 PRDX WIW 99990 W. ISMY FED #3 (ANETH E30) 1 WILDCAT 365 GREATER ANETH S400 E240 \$400 E230 12 SESE 2303730049 PRDX WIW 99996 ANETH UNITED-4,128

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

6. If Indian, Allottee or Tribe Name

14-20-603-2056

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT—" for such proposals

SUBMIT IN TRIPLICATE

Navajo Tribal 7. If Unit or CA, Agreement Designation

1. Type of Well		Aneth Unit
Oil Gas Well Other Injection V	8. Well Name and No.	
2. Name of Operator		F434
Texaco Exploration & Production I	inc.	9. API Well No.
3. Address and Telephone No.		4303716303
3300 N. Butler, Farmington N.M.	87401 (505)325-4397	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D	escription)	Desert Creek
815' FSL & 1860' FWL	_	11. County or Parish, State
SE/4, SW/4, Sec. 34, T40S, R24	E	San Juan, Utah
2. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, RE	PORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACT	ON
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
	Casing Repair	Water Shut-Off
Final Abandonment Notice	Altering Casing	Conversion to Injection
	X Other Clean Out	Dispose Water
		(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Texaco E. & P. Inc. has cleaned out the wellbore in the subject well. The following procedure was followed:

MIRUSU. TOOH w/ injection equipment. TIH w/ workstring & cleaned out to bottom @ 5595'. TIH w/ TBG & PKR to 5228'. TIH & hydro-tested TBG in the hole. Set PKR. Circulated chemical. Pressure tested backside

to 1000#. Held. RDMOL. Put on injection.

MAY 0 5 1994

DIVISION OF OIL, GAS & MINING

I hereby certify that the foregoing is true and correct Signed	Title Area Manager	Date 3/07/94
(This space for Federal or State office use)		
Approved by	Title	Date
tle 18 U.S.C. Section 1001, makes it a crime for any person knowing		

or representations as to any matter within its jurisdiction

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5.	Lease	Designation	and	Serial	No

Conversion to Injection

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.)

SUNDRY NOTICES	AND	REPORTS	ON	WELLS
----------------	-----	----------------	----	-------

1	4-20-	603-2	056		
6	If Indian	Allottee	or Tribe	Name	

Do not use this form for proposals to dr	ill or to deepen or reentry to a different reservoir. R PERMIT—" for such proposals	Wanta Maibal
OSC ATTERMINIST. C		Navajo Tribal 7. If Unit or CA, Agreement Designation
SUBMIT	IN TRIPLICATE	7. If Cliff of Cri, rigidential Designation
1. Type of Well		Aneth Unit
Oil Gas Well Other Injection V	Vell	8. Well Name and No.
2. Name of Operator		F434
Texaco Exploration & Production 1	nc.	9. API Weil No.
3. Address and Telephone No.		4303716303
3300 N. Butler, Farmington N.M.	87401 (505)325-4397	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., T., R., M., or Survey D	escription)	Desert Creek
815' FSL & 1860' FWL SE/4, SW/4, Sec. 34, T40S, R24		11. County or Parish, State San Juan, Utah
12. CHECK APPROPRIATE BOX	s) TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment	Change of Plans
	Recompletion	New Construction
Subsequent Report	Plugging Back	Non-Routine Fracturing
· ·		Water Shut-Off

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Other Clean Out

Texaco E. & P. Inc. has cleaned out the wellbore in the subject well. The following procedure was followed:

MIRUSU. TOOH w/ injection equipment. TIH w/ workstring & cleaned out to bottom @ 5595'. TIH w/ TBG & PKR to 5228'. TIH & hydro-tested TBG in the hole. Set PKR. Circulated chemical. Pressure tested backside to 1000#. Held. RDMOL. Put on injection.

OF HAING

4. I hereby certify that the foregoing is true and correct Signed	Area Manager	Date 3/07/94
(This space for Federal or State office use) Approved by Conditions of approval, if any:	Tide	- TAX CREDIT-

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Final Abandonment Notice



Chevron U.S.A. Production Company Mid-Continent Business Unit P.O. Box 36366 Houston, TX 77236 Phone 713 754 2000

April 9, 2002

Mr. John Baza, Associate Director of Oil and Gas Utah Department of Natural Resources Division of Oil, Gas & Mining 1594 W. North Temple St., Suite 1210 Salt Lake City, UT 84114-5801 PEGEIVED

/ 17 17 2002

ENVISION OF DIE, GAS AND MINING

Dear Mr. Baza:

As you may recall from our meeting last year, we planned to combine the assets of Chevron U.S.A. Inc. ("CUSA"), by merger, and Texaco Exploration and Production Inc. ("TEPI"), by assignment, into a new entity which we referred to as "Newco LP". Along the way, additional information came to light and it was decided that this proposed corporate restructure would not be preferable. Therefore, CUSA and TEPI have continued to operate as separate entities.

We are now planning a simpler restructuring process where TEPI will assign most of its assets/operatorship to CUSA effective May 1, 2002. We plan to use the existing CUSA bonds/letters of credit, operator identification numbers, etc., for the TEPI assets that will be assigned.

A task force of Land, Regulatory and Environmental Compliance personnel are finishing the work that was begun last year to assign TEPI's assets—using the same forms and procedures as before. We have "new faces" in this task force due to reassignments and departures. In some cases, it may be worthwhile to visit you and your staff in person where new people are involved or if we need to review/clarify your forms and procedures. Otherwise, we will endeavor to complete the work to assign TEPI's assets/operatorship to CUSA and deliver the requisite materials to you in a timely manner.

During discussions last year, our focus was on Land, Regulatory and Environmental matters. The Finance organization also desires to join in this effort. For State Tax, Royalty and Regulatory reporting purposes (applicable to production from May 2002 through December 2002), we intend to generate two reports and two payments.

However, the reporting company name and identification number will be CUSA's. Beginning with January 2003 production and thereafter, we will issue only one CUSA report and payment. We trust this plan meets with your approval. Any questions or comments should be directed to Rick Dunlavy (telephone 713/752-7411, rickdunlavy@chevrontexaco.com).

We appreciate the cooperation and guidance you provided us in the past, and we look forward to bringing these efforts to a conclusion.

Respectfully submitted,

Don R. Sellars

Sr. Environmental Specialist

Name / Operatorship Change Texaco Exploration and Production Inc.

to
Chevron U.S.A. Inc.
Injection Wells

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	11	400S	230E	4303716034	MESA 1 (ANETH C411)	1	I	WI
N5700	12	400S	230E	4303716272	BURTON 23-12 (ANETH B312)	1	Α	WI
N5700	12	400S	230E	4303716274	BURTON 31-12 (ANETH C-112)	1	1	WI
N5700	12	400S	230E	4303716278	BURTON 42-12 (ANETH D212)	1	Α	WI
N5700	12	400S	230E	4303730049	ANETH UNIT D-412	1	Α	WI
N5700	12	400S	230E	4303730112	ANETH UNIT C-312	1	Α	WI
N5700	13	400S	230E	4303715825	BURTON 22-13 (ANETH B-213)	1	Α	Wi
N5700	13	400S	230E	4303715827	BURTON 31-13 (ANETH C-113)	1	Α	WI
N5700	13	400S	230E	4303715828	BURTON 33-13 (ANETH C-313)	1	Α	WI
N 5700	13	400S	230E	4303715830	BURTON 42-13 (D213)	1	Α	WI
N5700	13	400S	230E	4303716279	BURTON 44-13 (ANETH D-413)	1	Α	WI
N5700	13	400S	230E	4303730119	ANETH UNIT A-113	1	Α	WI
N5700	13	400S	230E	4303730174	ANETH UNIT D113	1	Α	WI
N5700	13	400S	230E	4303730297	ANETH B-413	1	Α	WI
N5700	13	400S	230E	4303730299	ANETH UNIT A-313	1	Α	WI
N 5700	14	400S	230E	4303716032	ARROWHEAD 6 (ANETH B-114)	1	Α	WI
N5700	14	400S	230E	4303716033	ARROWHEAD 3 (ANETH C-214)	1	Α	WI
N 5700	14	400S	230E	4303716035	ARROWHEAD 5 (ANETH C-414)	1	Α	WI
N5700	14	400S	230E	4303716038	ARROWHEAD 4 (ANETH D-314)	1	Α	WI
N 5700	14	400S	230E	4303716273	ARROWHEAD 2 (ANETH B-314)	1	Α	WI
N5700	14	400S	230E	4303716277	ARROWHEAD 1 (ANETH D-114)	1	Α	WI
N5700	23	400S	230E	4303716271	A W RICE 2 (ANETH B-123)	1	Α	WI
N5700	23	400S	230E	4303716276	A W RICE 3 (ANETH C-223)	1	Α	WI
N5700	24	400S	230E	4303716270	FEDERAL A-1 (ANETH A-124)	1	Α	WI
N5700	24	400S	230E	4303716275	FEDERAL 1 (ANETH C-124)	1	Α	WI
N5700	07	400S	240E	4303715412	W ISMY FED 3 (ANETH E307)	1	Α	WI
N5700	07	400S	240E	4303715415	W ISMAY FED 2 (ANETH F-407)	1	Α	WI
N5700	07	400S	240E	4303716100	NAVAJO FED 6-1 (ANETH G-307)	1	Α	WI
N5700	07	400S	240E	4303716118	NAVAJO FED 7-1 (ANETH H-207)	1	1	WI
N5700	07	400S	240E	4303716283	GULF-AZTEC FED 7 (ANETH E-207)	1	Α	WI
N5700	07	400S	240E	4303716322	NAVAJO TRIBE FED 5-1 (ANETH H-407)	2	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc.

Account			D	ADI Novebor	Well Name	Lease Type	Well Status Main	Well Type Main
Number	Section	Township	Range	API Number		1 ype	A	WI
N5700	07	400S	240E	4303730175	ANETH U E407	2	A	WI
N5700	08	400S	240E	4303716060	NAVAJO TRIBE E-15 (ANETH E-308)	2	A	WI
N 5700	08	400S	240E	4303716076	NAVAJO FED 8-1 (ANETH F-208)	2	A	WI
N5700	08	400S	240E	4303716101	NAVAJO TRIBE L-6 (ANETH G-308)			WI
N5700	08	400S	240E	4303716119	NAVAJO TRIBE E-16 (ANETH H-208)	2	A	1
N5700	08	400S	240E	4303716284	NAVAJO FED 9-1 (ANETH E-208)	2	Α	WI
N5700	08	400S	240E	4303716298	NAVAJO TRIBE E-13 (ANETH F-408)	2	Α	WI
N5700	08	400S	240E	4303716323	NAVAJO TRIBE L-3 (ANETH H-408)	2	A	WI
N5700	09	400S	240E	4303716061	NAVAJO TRIBE E-14 (ANETH E-309)	2	A	WI
N5700	09	400S	240E	4303716082	NAVAJO TRIBE E-4 (ANETH F-409)	2	Α	WI
N5700	10	400S	240E	4303716125	NAVAJO TRIBE E-7 (ANETH H-410)	2	1	WI
N5700	11	400S	240E	4303715940	ANETH UNIT E-411	2	Α	WI
N5700	11	400S	240E	4303715944	NAVAJO A-10/34-11 (ANETH G-411)	2	Α	WI
N5700	11	400S	240E	4303716295	NAVAJO A-12/23-11 (ANETH F-311)	2	Α	WI
N5700	13	400S	240E	4303715938	NAV TRIBE A-13 (ANETH E-213)	2	Α	WI
N5700	13	400S	240E	4303715941	NAVAJO A-4 (ANETH E-413)	2 2	Α	WI
N 5700	14	400S	240E	4303715939	NAVAJO A-6 (ANETH E-214)		Α	WI
N5700	14	400S	240E	4303715942	ANETH F-314	2	A	WI
N5700	14	400S	240E	4303715943	NAVAJO A-7/32-14 (ANETH G-214)	2	Α	WI
N5700	14	400S	240E	4303715945	NAVAJO A-1/34-14 (ANETH G-414)	2	Α	WI
N5700	14	400S	240E	4303716310	NAVAJO A-9/41-14 (ANETH H-114)	2	Α	WI
N5700	14	400S	240E	4303716421	ANETH UNIT E414	2	Α	WI
N5700	14	400S	240E	4303716422	ANETH UNIT F-114	2	A	WI
N5700	14	400S	240E	4303731381	ANETH UNIT H314X	2	1	WI
N5700	15	400S	240E	4303716116	ANETH G-415	2	Α	WI
N5700	15	400S	240E	4303716296	NAVAJO TRIBAL E-8 (ANETH F-315)	2	Α	WI
N5700	15	400S	240E	4303730213	ANETH E-315	2	Α	WI
N5700	15	400S	240E	4303730312	ANETH H-315	2	Α	WI
N5700	16	400S	240E	4303715832	STATE THREE 11-16 (ANETH E-116)	3	Α	WI
N5700	16	400S	240E	4303716285	ST THREE 21-16 (ANETH F-116)	3	Α	WI
N5700	16	400S	240E	4303716297	ST THREE 23-16 (ANETH F-316)	3	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc.

Account Number	Section	Township	Range	API Number	Well Name	Lease Type	Well Status Main	Well Type Main
N5700	16	400S	240E	4303716312	STATE THREE 42-16 (ANETH H-216)	3	A	WI
N5700	16	400S	240E	4303720230	ANETH H-416	3	Α	WI
N 5700	16	400S	240E	4303730094	ANETH E-316	3	A	WI
N5700	16	400S	240E	4303730107	ANETH G-316	3	Α	WI
N5700	16	400S	240E	4303730333	ANETH F-416	3	Α	WI
N5700	16	400S	240E	4303730344	ANETH G-116	3	Α	WI
N5700	17	400S	240E	4303716049	ANETH UNIT E-117	2	Ā	WI
N5700	17	400S	240E	4303716062	NAVAJO TRIBAL G-7 (ANETH E317)	2	Α	WI
N5700	17	400S	240E	4303716089	NAVAJO TRIBAL G-3 (ANETH G-117)	2	Α	WI
N5700	17	400S	240E	4303716103	NAVAJO TRIBAL 1-X-G (ANETH G-317)	2	Α	WI
N5700	17	400S	240E	4303716286	NAVAJO TRIBAL G-8 (ANETH F-217)	2	Α	WI
N5700	17	400S	240E	4303716299	NAVAJO TRIBAL G-6 (ANETH F-417)	2	Α	WI
N5700	17	400S	240E	4303716313	NAV TRIBAL L-4 (ANETH H-217)	2	Α	WI
N5700	17	400S	240E	4303716326	NAVAJO TRIBAL L-1 (ANETH H-417)	2	Α	WI
N5700	18	400S	240E	4303715083	NAVAJO TRIBAL FED U 3	2	Α	WI
N 5700	18	400S	240E	4303715413	ANETH U E-118 (W ISMY FED 1)	1	Α	WI
N5700	18	400S	240E	4303716063	NAVAJO TRIBAL 4 (ANETH E-318)	1	Α	WI
N 5700	18	400S	240E	4303716090	NAVAJO TRIBE 2 (ANETH G-118)	2	Α	WI
N 5700	18	400S	240E	4303716104	NAVAJO TRIBE G-4 (ANETH G-318)	2	Α	WI
N5700	18	400S	240E	4303716120	NAVAJO TRIBAL G-5 (ANETH H-218)	2	Α	WI
N5700	18	400S	240E	4303716287	NAVAJO FED U 1 (ANETH F-218)	2	Α	WI
N5700	18	400S	240E	4303716327	NAVAJO TRIBAL G-2 (ANETH H-418)	2	Α	WI
N 5700	18	400S	240E	4303730137	ANETH U E218	1	Α	WI
N5700	18	400S	240E	4303730155	ANETH U F118	1	Α	WI
N5700	19	400S	240E	4303716077	NAVAJO TRIBE D-26 (ANETH F-219)	2	Α	WI
N5700	19	400S	240E	4303716091	NAVAJO TRIBE D-16 (ANETH G-119)	2	Α	WI
N5700	19	400S	240E	4303716121	NAVAJO TRIBE D-3 (ANETH H-219)	2	Α	WI
N5700	19	400S	240E	4303716280	NAVAJO FED U B-1 (ANETH E-119)	2	Α	WI
N5700	19	400S	240E	4303716309	NAVAJO TRIBE D-25 (ANETH G-319)	2	Α	WI
N5700	19	400S	240E	4303716328	NAVAJO TRIBE D-27 (ANETH H-419)	2	Α	WI
N5700	20	400S	240E	4303716050	NAVAJO TRIBE D-10 (ANETH E-120)	2	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc.

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	20	400S	240E	4303716065	NAVAJO TRIBE D-17 (ANETH E-320)	2	Α	WI
N5700	20	400S	240E	4303716092	NAVAJO TRIBE L-5 (ANETH G-120)	2	Α	WI
N5700	20	400S	240E	4303716105	NAVAJO TRIBE D-12 (ANETH G-320)	2	Α	WI
N 5700	20	400S	240E	4303716288	NAVAJO TRIBE D-8 (ANETH F-220)	2	Α	WI
N5700	20	400S	240E	4303716300	NAVAJO TRIBE D-20 (ANETH F-420)	2	Α	WI
N5700	20	400S	240E	4303716314	NAVAJO TRIBE L-2 (ANETH H-220)	2	Α	WI
N5700	20	400S	240E	4303716329	NAVAJO TRIBE D-13 (ANETH H-420)	2	Α	WI
N5700	21	400S	240E	4303716051	NAVAJO TRIBE D-4 (ANETH E-121)	2	Α	WI
N5700	21	400S	240E	4303716066	NAVAJO TRIBE D-14 (ANETH E-321)	2	Α	WI
N5700	21	400S	240E	4303716078	NAVAJO TRIBE D-6 (ANETH F-221)	2	Α	WI
N5700	21	400S	240E	4303716084	NAVAJO TRIBE D-21 (ANETH F-421)	2	Α	WI
N5700	21	400S	240E	4303716122	NAVAJO TRIBE D-7 (ANETH H-221)	2	Α	WI
N5700	21	400S	240E	4303716330	NAVAJO TRIBE D-24 (ANETH H-421)	2	A	WI
N5700	21	400S	240E	4303730095	ANETH G-321X	2	Α	WI
N5700	21	400S	240E	4303730335	ANETH G-121X	2	Α	WI
N5700	22	400S	240E	4303716067	NAVAJO TRIBE D-19 (ANETH E-322)	2	Α	WI
N5700	22	400S	240E	4303716085	NAVAJO TRIBE D-23 (ANETH F-422)	2	Α	WI
N5700	22	400S	240E	4303716117	NAVAJO TRIBE D-2 (ANETH H-122)	2	Α	WI
N5700	22	400S	240E	4303716127	NAVAJO TRIBE D-22 (ANETH H-422)	2	I	WI
N5700	22	400S	240E	4303720231	ANETH G-322X	2	Α	WI
N5700	22	400S	240E	4303730215	ANETH E-122	2	Α	WI
N5700	22	400S	240E	4303730242	ANETH H-222	2	Α	Wi
N5700	22	400S	240E	4303730373	ANETH F-222	2	Α	WI
N5700	22	400S	240E	4303730425	ANETH G-122	2	Α	WI
N5700	23	400S	240E	4303716068	NAVAJO TRIBE C-12 (ANETH E-323)	2	Α	WI
N5700	23	400S	240E	4303716079	NAVAJO TRIBE C-7 (ANETH F-223)	2	Α	WI
N5700	23	400S	240E	4303716086	NAVAJO TRIBE C-17 (ANETH F-423)	2	Α	WI
N5700	23	400S	240E	4303716123	NAVAJO TRIBE C-8 (ANETH H-223)	2	Α	WI
N5700	23	400S	240E	4303716128	NAVAJO TRIBE C-3 (ANETH H-423)	2	Α	WI
N5700	23	400S	240E	4303716306	NAVAJO TRIBE C-1 (ANETH G-123)	2	Α	WI
N5700	23	400S	240E	4303730235	ANETH F-123	2	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc.

Account					'	Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	24	400S	240E	4303716069	NAVAJO TRIBE C-10 (ANETH E-324)	2	Α	WI
N5700	24	400S	240E	4303716087	NAVAJO TRIBE C-13 (ANETH F-424)	2	Α	WI
N5700	24	400S	240E	4303716111	NAVAJO TRIBE C-15 (ANETH G-324)	2	Α	WI
N5700	24	400S	240E	4303716289	NAVAJO TRIBE C-16 (ANETH F-224)	2	Α	WI
N 5700	24	400S	240E	4303716331	NAVAJO TRIBE C-28 (ANETH H-424)	2	Α	WI
N5700	25	400S	240E	4303716070	NAVAJO TRIBE C-21 (ANETH E-325)	2	Α	WI
N5700	25	400S	240E	4303716080	NAVAJO TRIBE C-20 (F225)	2	Α	WI
N5700	25	400S	240E	4303716095	ANETH UNIT G125	2	A	WI
N5700	25	400S	240E	4303716124	NAVAJO TRIBE C-11 (ANETH H-225)	2	Α	WI
N5700	25	400S	240E	4303716129	NAVAJO TRIBE C-24 (ANETH H-425)	2	Α	WI
N5700	25	400S	240E	4303716301	NAVAJO TRIBE C-32 (ANETH F-425)	2	Α	WI
N5700	26	400S	240E	4303716054	NAVAJO TRIBE C-29 (ANETH E-126)	2	Α	WI
N5700	26	400S	240E	4303716071	NAVAJO TRIBE C-30 (ANETH E-326)	2	Α	WI
N5700	26	400S	240E	4303716113	NAVAJO TRIBE C-27 (ANETH G-326)	2	Α	WI
N5700	26	400S	240E	4303716290	NAVAJO TRIBE C-23 (ANETH F-226)	2	Α	WI
N5700	26	400S	240E	4303716302	NAVAJO TRIBE C-4 (ANETH F-426)	2	Α	WI
N5700	26	400S	240E	4303716316	NAVAJO TRIBE C-19 (ANETH H-226)	2	Α	WI
N5700	26	400S	240E	4303716332	NAVAJO TRIBE C-31 (ANETH H-426)	2	Α	WI
N5700	26	400S	240E	4303730372	ANETH G-126X	2	Α	WI
N5700	27	400S	240E	4303716223	ANETH 27-B2 (ANETH F-227)	2	1	WI
N5700	27	400S	240E	4303716307	ANETH 27-C-1 (ANETH G-127)	2	Α	WI
N5700	27	400S	240E	4303716317	ANETH 27-D2 (ANETH H-227)	2	Α	WI
N5700	27	400S	240E	4303716333	ANETH 27-D-4 (ANETH H-427)	2	Α	WI
N5700	27	400S	240E	4303716782	ANETH 27-A-1 (ANETH E-127)	2	Α	WI
N5700	28	400S	240E	4303716222	ANETH 28-A-1 (ANETH E-128)	2 2	Α	WI
N5700	28	400S	240E	4303716224	ANETH 28-C-1 (ANETH G-128)		Α	WI
N5700	28	400S	240E	4303716228	ANETH H-228	2	Α	WI
N5700	29	400S	240E	4303716055	NAVAJO TRIBE S-2 (ANETH E-129)	2	Α	WI
N5700	29	400S	240E	4303716097	NAVAJO TRIBE S-1 (ANETH G-129)	2	Α	WI
N5700	29	400S	240E	4303716292	NAVAJO TRIBE S-4 (ANETH F-229)	- 2	I	WI
N5700	29	400S	240E	4303716318	NAVAJO TRIBE S-3 (ANETH H-229)	2	Α	WI

Name / Operatorship Change Texaco Exploration and Production Inc. to Chevron U.S.A. Inc. Injection Wells

Account						Lease	Well Status	Well Type
Number	Section	Township	Range	API Number	Well Name	Type	Main	Main
N5700	34	400S	240E	4303716303	ANETH 34-B-4 (ANETH F-434)	2	Α	WI
N5700	34	400S	240E	4303716319	ANETH 34-D2 (ANETH H-234)	2	1	WI
N5700	35	400S	240E	4303716293	NAVAJO TRIBE Q-5 (ANETH F-235)	2	Α	WI
N5700	35	400S	240E	4303716304	NAVAJO TRIBE Q-8 (ANETH F-435)	2	Α	WI
N5700	35	400S	240E	4303716320	NAVAJO TRIBE Q-4 (ANETH H-235)	2	Α	WI
N5700	36	400S	240E	4303715485	NAVAJO 4 (ANETH E-136)	2	Α	WI
N5700	36	400S	240E	4303715486	NAV TRB 2-A (G136)	2	A	WI
N5700	36	400S	240E	4303715487	NAVAJO 1 (ANETH H-236)	2	Α	WI
N5700	36	400S	240E	4303716294	NAVAJO 3 (ANETH F-236)	2	Α	WI
N5700	19	400S	250E	4303716140	ANETH UNIT L-419	2	Α	WI
N5700	29	400S	250E	4303716131	NAVAJO TRIBE F-8 (ANETH J-129)	2	Α	WI
N5700	30	400S	250E	4303716132	NAVAJO TRIBE F-9 (ANETH J-130)	2	Α	WI
N5700	30	400S	250E	4303716134	NAVAJO TRIBE F-5 (ANETH J-330)	2	Α	WI
N5700	30	400S	250E	4303716135	NAVAJO TRIBE F-2 (ANETH K-230)	2	A	WI
N5700	30	400S	250E	4303716137	NAVAJO TRIBE F-7 (ANETH K-430)	2	Α	WI
N5700	30	400S	250E	4303716139	NAVAJO TRIBE F-6 (ANETH L-330)	2	Α	WI
N5700	30	400S	250E	4303716141	NAVAJO TRIBE F-10 (ANETH M-230)	2	Α	WI
N5700	30	400S	250E	4303716337	NAVAJO TRIBE F-11 (ANETH M-430)	2	Α	WI
N5700	31	400S	250E	4303715946	NAVAJO TRIBE C11-31 (J131)	2	Α	WI
N5700	31	400S	250E	4303716335	NAVAJO TRIBE C-22-31 (ANETH K-231)	2	Α	WI

STATE OF UTAH **DEPARTMENT OF NATURAL RESOURCES** DIVISION OF OIL, GAS AND MINING

TRANSFE	R OF AUTHORITY TO INJ	ECT
Well Name and Number Orangeville & Huntington, Emery County, Utah (Se	e Attached Well List)	API Number
Location of Well Footage: See attached well locations	County : Emery	Field or Unit Name See Attached Well List
QQ. Section, Township, Range:	State: HTAH	Lease Designation and Number See Attached Well List

EFFECTIVE DATE OF TRANSFER: 5/1/2002

ld	U	R	R	EI	N.	Ţ	O	P	E	R	A	T	O	R	
----	---	---	---	----	----	---	---	---	---	---	---	---	---	---	--

Company:

Texaco Exploration and Production Inc.

Address:

3300 North Butler, Suite 100

city Farmington

state NM zip 87401

Phone:

Comments:

(505) 325-4397

Name:

Signature: Title:

Attorney-In-Fact

Date:

April 30, 2002

NEW OPERATOR

Company:

Chevron U.S.A. Inc.

Address:

P.O. Box 36366

city Houston

zip 79702 state TX

Phone:

(915) 687-2000

Title: Date:

Name:

Signature:

May 1, 2002

Comments:

(This space for State use only)

Approval Date: 10/21/02

Comments:

RECEIVED

MAY 0 6 2002

DIVISION OF OIL, GAS AND MINING

STATE OF UTAH DEPARTMENT ____NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

	I	DIVISIO	N OF OIL, GAS AND MI	NIN	G	_		SE DESIGNATION AND SERIAL NUMBER:
	SUNDRY	NOTI	CES AND REPORTS	3 0	N WEL	LS	ľ	NDIAN, ALLOTTEE OR TRIBE NAME: M & State of Utah
Do	not use this form for proposals to drill nodrill horizontal la	ew wells, sign iterals. Use A	nificantly deepen existing wells below cur APPLICATION FOR PERMIT TO DRILL f	rent bo	ttom-hole dep such proposa	th, reenter plugged wells, or to		T or CA AGREEMENT NAME: Ingeville & Huntington
1. T	YPE OF WELL OIL WELL		GAS WELL OTHER	Oper	ator Nar	ne Change		LL NAME and NUMBER: Attached List of Wells
	IAME OF OPERATOR: NEVRON U.S.A. Inc.		-				9. API	NUMBER:
3. A	DDRESS OF OPERATOR:	Llavata	TV	770		PHONE NUMBER:	10. FIE	ELD AND POOL, OR WILDCAT:
	O. Box 36366 OCATION OF WELL	Housto	on _{STATE} TX _{ZiP}	772	36	(281) 561-3443		
F	OOTAGES AT SURFACE: See At	tached l	List of Wells				COUN	ry: Emery
a	ITR/QTR, SECTION, TOWNSHIP, RANG	GE, MERIDIA	N:				STATE	: UTAH
11.	CHECK APPR	ROPRIA	TE BOXES TO INDICAT	EΝ	ATURE	OF NOTICE, REPO	₹T, O	R OTHER DATA
	TYPE OF SUBMISSION				Τ'	YPE OF ACTION		
V	NOTICE OF INTENT	ACIE	DIZE		DEEPEN			REPERFORATE CURRENT FORMATION
	(Submit in Duplicate)		ER CASING		FRACTURE	TREAT		SIDETRACK TO REPAIR WELL
	Approximate date work will start:		ING REPAIR		NEW CONS			TEMPORARILY ABANDON
			NGE TO PREVIOUS PLANS		OPERATOR	CHANGE	\sqcup	TUBING REPAIR
	0110000115117.050007		NGE TUBING	Ц	PLUG AND A			VENT OR FLARE
	SUBSEQUENT REPORT (Submit Original Form Only)		NGE WELL NAME	Ш	PLUG BACK			WATER DISPOSAL
	Date of work completion:	I=	NGE WELL STATUS		PRODUCTIO	ON (START/RESUME)		WATER SHUT-OFF
			MINGLE PRODUCING FORMATIONS		RECLAMATI	ON OF WELL SITE		Operator Name Change (Merger)
		CON	VERT WELL TYPE	<u> </u>	RECOMPLE	TE - DIFFERENT FORMATION		
Eff pre of	fective May 1, 2002, Che eviously operated by Tex Huntington, Emery Cour	evron U. kaco Ex _l nty, Utal	n. These Wells will be pr	ator Inc. otec	of the at The sub ted by th	tached list of subject bject wells are locate le following surety bo	wells d Nor onds:	th of Orangeville and North
			1627-0016 in the amount 0-0059. We respectfully i					
BL	M Nationwide Bond#: L	J 89-75- 8	31-0034 in the amount of	\$30	0,000.			
Ke	y Contacts:					R	E(CEIVED
Ro	n Wirth - Operations Su	•						
	Texaco Exploration	ı & Pro	oduction Inc.				MA	/ 0 6 2002
	J. Purdy, Attor	ney-I	n-Fact			OIL	DIV GAS	ISION OF S AND MINING
NAL	E (PLEASE PRIM) Allen S	. Robi	nson		TITLE	Attorney-In-I	act	
	ATURE UPLE L	20	_			April 20 200		
SIGN	niune				DATE			

(This space for State use only)



MINERALS DEPARTMENT
Post Office Box 1910
Window Rock, Arizona 86515

Phone: (928) 871-6587 • Fax: (928) 871-7095

KELSEY A. BEGAYE PRESIDENT TAYLOR McKENZIE, M.D. VICE PRESIDENT

October 11, 2002

Mr. Don Sellars Regulatory Specialist ChevronTexaco 11111 S. Wilcrest Houston, Texas 77099

Subject: Navajo Nation Assignment of Oil & Gas Lease

Dear Mr. Sellars:

Attached are fourteen (14) approved Navajo Nation Assignment of Oil and Gas Lease applications for assignment of interest from Texaco Exploration & Production, Inc. to Chevron U.S.A., Inc. (Chevron) for the following leases:

2) 3) 4)	I-149-IND-8834 I-149-IND-8835 I-149-IND-8836 I-149-IND-8838	7) 14 8) 14 9) 14	149-IND-8839 -20-603-2057 -20-603-2059 -20-603-4030-A	12) 13)	14-20-603-4035 14-20-603-4037 14-20-603-5043-A 14-20-603-5446
	I-149-IND-8839-A	10) 14	-20-603-4032		

If you have any questions, please call me or Mr. Brad Nesemeier at (928) 871-6587.

Sincerely,

Akhtar Zaman, Director Minerals Department

Attachments AZ/GLB/cab

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

The operator of the well(s) listed below has changed, effective:

Designation of Agent

Operator Name Change

X Merger

05-01-2002

FROM: (Old Operator):		TO: (New Or	erator):			
TEXACO EXPLORATION & PRODUCTION INC	1	CHEVRON US	SA INC			
Address: 3300 NORTH BUTLER, STE 100	1	Address: P O B	OX 36366			
EARMINICTON NIM 97401	4	HOUSTON,TX	79702			
FARMINGTON, NM 87401	-	Phone: 1-(915)		-		
Phone: 1-(505)-325-4397 Account No. N5700	-	Account No.				
		<u> </u>				
CA No	•	Unit:	ANETH			
WELL(S)			· · · · · · · · · · · · · · · · · · ·	T	T	T
		API NO	ENTITY		F	WELL
NAME	RNG		NO	TYPE	TYPE	STATUS
ANETH 27-D2 (ANETH H-227)		43-037-16317		INDIAN	WIW	Α
ANETH 27-B2 (ANETH F-227)		43-037-16223		INDIAN	WIW	I
ANETH 27-C-1 (ANETH G-127)		43-037-16307		INDIAN	WIW	A
ANETH 27-D-4 (ANETH H-427)	27-40S-24E	43-037-16333	99990	INDIAN	WIW	Α
ANETH 27-A-1 (ANETH E-127)	27-40S-24E	43-037-16782	99990	INDIAN	WIW	A
ANETH 28-C-1 (ANETH G-128)	28-40S-24E	43-037-16224	7000	INDIAN	WIW	A
ANETH 28-A-1 (ANETH E-128)	28-40S-24E	43-037-16222	7000	INDIAN	WIW	A
ANETH H-228		43-037-16228		INDIAN	WIW	A
NAVAJO TRIBE S-2 (ANETH E-129)		43-037-16055		INDIAN	WIW	A
NAVAJO TRIBE S-1 (ANETH G-129)	29-40S-24E	43-037-16097	99990	INDIAN	WIW	A
NAVAJO TRIBE S-4 (ANETH F-229)		43-037-16292		INDIAN	WIW	I
NAVAJO TRIBE S-3 (ANETH H-229)		43-037-16318		INDIAN	WIW	A
ANETH 34-B-4 (ANETH F-434)		43-037-16303		INDIAN	WIW	A
ANETH 34-D-2 (ANETH H-234)		43-037-16319		INDIAN	WIW	I
NAVAJO TRIBE Q-4 (ANETH H-235)		43-037-16320		INDIAN	wiw	A
NAVAJO TRIBE Q-5 (ANETH F-235)		43-037-16293		INDIAN	WIW	A
NAVAJO TRIBE Q-8 (ANETH F-435)		43-037-16304		INDIAN	WIW	A
NAVAJO 4 (ANETH E-136)		43-037-15485		INDIAN	WIW	A
NAV TRB 2-A (G-136)		43-037-15486		INDIAN	WIW	A
NAVAJO 1 (ANETH H-236)		43-037-15487		INDIAN	WIW	A
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-2-10) Sundry or legal documentation was received	from the FO I	RMER operator	on:	05/06/2002	<u>2</u>	
2. (R649-2-10) Sundry or legal documentation was received	l from the NEV	W operator on:	04/12/200	02		
3. The new company has been checked through the Departs	ment of Comn	nerce, Division	of Corpora	ations Datal	oase on:	10/16/200
4. Is the new operator registered in the State of Utah:	YES	_Business Num	ber:	564408-014	43	
5. If NO , the operator was contacted contacted on:	N/A	_				

6. (R649-9-2)Waste Management Plan has been received on: <u>IN PLACE</u>
7.	Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 10/11/2002
8.	Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 10/11/2002
9.	Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: N/A
10.	Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: 10/21/2002
DA	ATA ENTRY:
1.	Changes entered in the Oil and Gas Database on: 10/25/2002
2.	Changes have been entered on the Monthly Operator Change Spread Sheet on: 10/25/2002
3.	Bond information entered in RBDMS on: N/A
4.	Fee wells attached to bond in RBDMS on: N/A
ST 1.	ATE WELL(S) BOND VERIFICATION: State well(s) covered by Bond Number: N/A
FE 1.	DERAL WELL(S) BOND VERIFICATION: Federal well(s) covered by Bond Number: N/A
IN	DIAN WELL(S) BOND VERIFICATION:
1.	Indian well(s) covered by Bond Number: 8975810026
FE	E WELL(S) BOND VERIFICATION:
1.	(R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number N/A
	The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
3. (ASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
	MMENTS: Chevron USA Inc merged with Texaco Exploration & Production Inc to form ChevronTexaco Inc rough all the Utah operations will be operated by Chevron USA Inc.
	Tough an and Claim operation with we operated by Chotton OOA mo.

,

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

	DIVISION OF OIL, GAS AND MINING		LEASE DESIGNATION AND SERIAL NUMBER: See Attachment
SUNDR	Y NOTICES AND REPORTS ON WI	ELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Navajo
Do not use this form for proposals to drill	new wells, significantly deepen existing wells below current bottom-hole laterals. Use APPLICATION FOR PERMIT TO DRILL form for such pro	depth, reenter plugged wells, or to	7. UNIT OF CA AGREEMENT NAME: Aneth Unit
1. TYPE OF WELL OIL WELL			8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:			See Attachment 9. API NUMBER:
Resolute Natural Resource	ces Company N2700		See Attach
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950 CI	TY Denver STATE CO ZIP 80202	PHONE NUMBER: (303) 534-4600	10. FIELD AND POOL, OR WILDCAT: Desert Creek
4. LOCATION OF WELL	STATE OF ZIP COLOR	1(000) 001 1000	
FOOTAGES AT SURFACE: See A	Attachment		COUNTY: San Juan
QTR/QTR, SECTION, TOWNSHIP, RA	NGE, MERIDIAN:		STATE: UTAH
11. CHECK APP	ROPRIATE BOXES TO INDICATE NATUR	RE OF NOTICE, REPO	ORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	D DEDERFORATE CURRENT FORMATION
NOTICE OF INTENT	ACIDIZE DEEPE	N URE TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
(Submit in Duplicate) Approximate date work will start:		ONSTRUCTION	TEMPORARILY ABANDON
Approximate date work will start.		TOR CHANGE	TUBING REPAIR
		AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NAME PLUG		WATER DISPOSAL
(Submit Original Form Only)		JCTION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PRODUCING FORMATIONS RECLA	MATION OF WELL SITE	✓ other: Change of Operator
	CONVERT WELL TYPE RECOI	MPLETE - DIFFERENT FORMATION	
	COMPLETED OPERATIONS. Clearly show all pertinent detail		
	, Chevron U.S.A. Inc. resigned as Operator	of the Aneth Unit. The	successor operator is Resolute
Natural Resources Com	pany.		
NAME (PLEASE PRINT)	aut loseus.	TITLE Vice Pr	esident
NAME (PLEASE PRINT)	7		
SIGNATURE	Yongul	DATE ///30/C	94
			* 32
(This space for State use only)		4 700 4	4.
		APPR(VED 12 29 2004
		P.	

(See Instructions on Reverse Side)

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician

الرازان والمعطوف أري بالمعاومة

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

		-, -, 10 /11 11			See attached exhibit.
SUND	RY NOTICES AN	ID REPORT	S ON WE	LLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
					Navajo 7. UNIT or CA AGREEMENT NAME:
Do not use this form for proposals to drill horizon	drill new wells, significantly deepe ntal laterals. Use APPLICATION (n existing wells below cu FOR PERMIT TO DRILL	rrent bottom-hole de form for such propo	epth, reenter plugged wells, or to sals.	Aneth Unit
1. TYPE OF WELL OIL WE			See attache		8. WELL NAME and NUMBER:
2. NAME OF OPERATOR:					See attached exhibit. 9. API NUMBER:
Resolute Natural Reso	urces Company				See attached exhibit.
3. ADDRESS OF OPERATOR: 1675 Broadway, Suite 1950	Denver	STATE CO 715	80202	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
4. LOCATION OF WELL	CITY	STATE CO ZIP	00202	(303) 534-4600	Aneth
FOOTAGES AT SURFACE:		*			county: San Juan
QTR/QTR, SECTION, TOWNSHIP,	BANCE HERICIAN			**************************************	
GINGIN, SECTION, TOWNSHIP,	RANGE, MERIDIAN:				STATE: UTAH
11. CHECK A	PPROPRIATE BOXE	S TO INDICAT	TE NATURE	OF NOTICE BED	ORT, OR OTHER DATA
TYPE OF SUBMISSION		EO TO INDICA		TYPE OF ACTION	ORT, OR OTHER DATA
	ACIDIZE		DEEPEN	THE OF ACTION	DEDEDODATE OUDDENT SONATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING		FRACTUR	E TREAT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL
Approximate date work will start:	: CASING REPAIR		=	STRUCTION	_
	CHANGE TO PREV	IOUS PLANS		R CHANGE	TEMPORARILY ABANDON TUBING REPAIR
	CHANGE TUBING			ABANDON	VENT OR FLARE
SUBSEQUENT REPORT	CHANGE WELL NA	ME	PLUG BAC		WATER DISPOSAL
(Submit Original Form Only) Date of work completion:	CHANGE WELL ST	ATUS	_	ION (START/RESUME)	WATER SHUT-OFF
Date of work completion:	COMMINGLE PROD	DUCING FORMATIONS		TION OF WELL SITE	✓ OTHER: Change of operator
	CONVERT WELL TO	YPE	=	ETE - DIFFERENT FORMATION	Change of operator
12. DESCRIBE PROPOSED OF	R COMPLETED OPERATION	IS. Clearly show all n	ertinent details in	ichiding dates, denthe volum	non ete
					lute Natural Resources Company
has been elected the si	uccessor operator.	ioi rooignod do	oporator or t	ine Aneur Onit. Reso	nute Natural Resources Company
					RECEIVED
					DEC 2 2 2004
					DIV. OF OIL, GAS & MINING
					DIV. OF OIL, and a minute
•					
NAME (PLEASE PRINT) Chevrol	n U.S.A. Inc.	NOZIC)	A. E. Wacker, Att	omev-in-Fact
	(1)000-		TITL		,
SIGNATURE C. C.	Wackey		DAT	12/20/2004	¥
This space for State use only)			en en en en en en en en en en en en en e	APPROV	ED 12 24 2004

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURC
DIVISION OF OIL, GAS AND MINING

	TRANSFER OF AU	THORITY TO I	LIECT
Well Name and See attache	Number d exhibit.	month to ii	API Number See attached exhibit.
Location of Well	77. NO. 100 (100 (100 (100 (100 (100 (100 (100	***************************************	Field or Unit Name Aneth Unit
Footage :	200000000000000000000000000000000000000	County : San Jua	Lease Designation and Number
QQ, Section,	Township, Range:	State: UTAH	See attached exhibit.
EFFECTIVE I	DATE OF TRANSFER: 12/1/2004		
CURRENT OF	PERATOR NO210)	
Company:	Chevron U.S.A. Inc.	Name:	A. E. Wacker
Address:	1111 Bagby St.	Name: Signature:	a.E. wacter
	city Houston state TX zip 77002	Signature.	Attorney-in-Fact
Phone:	(713) 752-6000	Date:	12/20/2004
Comments:			
NEW OPERAT Company: Address: Phone: Comments:	Resolute Natural Resources Company 1675 Broadway, Suite 1950 city Denver state CO zip 80202 (303) 534-4600 X	Name: Signature: Title: Date:	DEC 22 2004 DIV. OF OIL, GAS & MINING Tanet Paggue Xt Jant Portu Vice besident 12 21/04
(This space for SI Transfer ap Comn		Approval Da into the a corrective 14 facked 5 year	action plan for test on 10/13/2004 test on Aneth B14.

	Ţ	T	1	T					Status]
NUM	API_NUM	Q1	Q2	SEC	TWSP	RNG	LEGAL	Lease	12/1/04	NNEPA Well List	USEPA Well List	UIC Program
H222	4303730242	SE	NW	22	40S	24E		I-149-IND-8836	Active	H222	H222	Navajo Nation
F418	4303715083	SE	SW	18	T40S	R24E	650' FSL/1825' FWL	I-149-IND-8835	Active	F418	F418	Navajo Nation
E307	4303715412	NW	SW	7	T40S	<u> </u>	1980' FSL/660' FWL	SL-067807	Active	E307	E307	Navajo Nation
E118	4303715413	NW	NW	18	T40S	R24E	660' FNL/660' FWL	SL-067807	Active	E118	E118	Navajo Nation
F407	4303715415	SE	SW	7	T40S		660' FSL/1980' FWL	SL-067807	Active	F407	F407	Navajo Nation
E136	4303715485	NW	NW	36	T40S		660' FNL/660' FWL	14-20-603-5444	Active	E136	E136	Navajo Nation
G136	4303715486	NW	NE	36	T40S	R24E	785' FNL/2040' FEL	14-20-603-5443	Active	G136	G136	Navajo Nation
H236	4303715487	SE	NE	36	T40S	R24E	1980' FNL/660' FEL	14-20-603-5443	P/A			Navajo Nation
B213	4303715825	SE	NW	13	T40S	R23E	3300' FSL/3300' FEL	SL-070968-A	Active			State of Utah
C113	4303715827	NW	NE	13	T40S		4602' FSL/1993' FEL	SL-070968-A	Active			State of Utah
C313	4303715828	NW	SE	13	T40S	R23E	1949' FSL/1991' FEL	SL-070968-A	Active			State of Utah
D213	4303715830	SE	NE	13	T40S	R23E	3263' FSL/660' FEL	SL-070968-A	Active			State of Utah
E116	4303715832	NW	NW	16	T40S	R24E	601' FNL/550' FWL	ML-3156	Active	E116	E116	Navajo Nation
E213	4303715938	SW	NW	13	T40S		2140' FNL/740' FWL	I-IND-149-8837	Active	E213	E213	Navajo Nation
E214	4303715939	SW	NW	14	T40S		1940' FNL/650' FWL	I-149-IND-8837	Active	E214	E214	Navajo Nation
E411	4303715940	SW	SW	11	T40S		500' FSL/820' FWL	I-149-IND-8837	Active	E411	E411	Navajo Nation
E413	4303715941	SW	SW	13	T40S		660' FSL/660' FWL	IND-149-8837	Active	E413	E413	Navajo Nation
F314	4303715942	NE	SW	14	T40S	R24E	1980' FSL/1980'FWL	I-149-IND-8837	Active	F314	F314	Navajo Nation
G214	4303715943	SW	NE	14	T40S	R24E	2140' FNL/2010' FEL	I-149-IND-8839	P/A			Navajo Nation
G411	4303715944	SW		11	T40S	R24E	680' FSL/1950' FEL	I-149-IND-8837	Active	G411	G411	Navajo Nation
G414	4303715945	SW	SE	14	T40S	R24E	660' FSL/1980' FEL	I-149-IND-8837	Active	G414	G414	Navajo Nation
J131	4303715946	NW	NW	31	T40S	R25E	660' FNL/638' FWL	14-20-603-372	Active	J131	J131	Navajo Nation
B114	4303716032	NE	NW	14	T40S	R23E	660' FNL/1980' FWL	SL-070968	Shut-In			State of Utah
C214	4303716033	SW	NE	14	T40S	R23E	1890' FNL/1930' FEL	SL-070968	Shut-In			State of Utah
C411	4303716034	SW	SE	11	T40S	R23E	600' FSL/2010' FEL	SL-070968-B	P/A			State of Utah
C414	4303716035			14	T40S	R23E	760' FSL/2000' FEL	SL-070968	Active			State of Utah
D314	4303716038				T40S	R23E	1980' FSL/660' FEL	SL-070968	Active			State of Utah
E117	4303716049				T40S	R24E	520' FNL/645' FWL	I-149-IND-8835	Active	E117	E117	Navajo Nation
E120	4303716050					R24E	660' FNL/660' FWL	I-149-IND-8836	Active	E120		Navajo Nation
E121	4303716051				T40S	R24E	660' FNL/760' FWL	I-149-IND-8836	Active			Navajo Nation
E126	4303716054				T40S	R24E	760' FNL/660' FWL	I-149-IND-8838	Active	E126		Navajo Nation
E129	4303716055					R24E	660' FNL/660' FWL	14-20-603-4030	Active			Navajo Nation
E308	4303716060						1820' FSL/645' FWL	I-149-IND-8833	Active			Navajo Nation
E309	4303716061							I-149-IND-8834	P/A			Navajo Nation
E317	4303716062							I-149-IND-8835	Active	E317		Navajo Nation
E318	4303716063					R24E	1980' FSL/660' FWL	SL-067807	Active	E318		Navajo Nation
			SW					I-149-IND-8836	P/A			Navajo Nation
E320			SW			R24E	2140' FSL/820' FWL	I-149-IND-8836	Active	E320		Navajo Nation
			SW		T40S	R24E	2140' FSL/720' FWL	I-149-IND-8836			***************************************	Navajo Nation
			SW		T40S	R24E	1980' FSL/660' FWL	I-149-IND-8836				Navajo Nation
		NW				R24E						Navajo Nation
			SW				1980' FSL/660'FWL					Navajo Nation
			SW		T40S	R24E						Navajo Nation
E326			sw		T40S	R24E	1980' FSL/660' FWL	I-149-IND-8838				Navajo Nation
F115	4303716074	NE	NW	15	T40S	R24E	690' FNL/2140' FWL					Navajo Nation

F208	4303716076	SE	NW	8	T40S	R24F	E 2140' FNL/2050' FWI	IL140 INID 8822	Active	F208	F208	NY . NY
F219	4303716077	SE	NW	19	T40S		1820' FNL/2140' FWI		Active	F219	F219	Navajo Nation
F221	4303716078	SE	NW	21	T40S		1980' FNL/1980' FWI		Active	F221	F221	Navajo Nation
F223	4303716079	SE	NW	23	T40S		1980' FNL/1820' FWI		Active	F223	F223	Navajo Nation
F225	4303716080	SE	NW	25	T40S		2040' FNL/2080' FWI		Active	F225	F225	Navajo Nation
F409	4303716082	SE	SW	9	T40S	R24E		I-149-IND-8834	Active	F409	F409	Navajo Nation
F421	4303716084	SE	SW	21	T40S	R24E		I-149-IND-8836	Active	F421	F421	Navajo Nation
F422	4303716085	SE	sw	22	T40S	R24E		I-149-IND-8836	Active	F422	F421	Navajo Nation
F423	4303716086	SE	sw	23	T40S	R24E		I-149-IND-8838	Active	F423	F423	Navajo Nation
F424	4303716087	SE	SW	24	T40S	R24E		I-149-IND-8838	Active	F424	F424	Navajo Nation
G117	4303716089	NW	NE	17	T40S	R24E		I-149-IND-8835	Active	G117	G117	Navajo Nation
G118	4303716090	NW	NE	18	T40S	R24E		I-149-IND-8835	Active	G118	G118	Navajo Nation
G119	4303716091	NW	NE	19	T40S	R24E		I-149-IND-8836	Active	G119	G119	Navajo Nation
G120	4303716092	NW	NE	20	T40S	R24E		I-149-IND-8833	Active	G120	G120	Navajo Nation
G125	4303716095	NW	NE	25	T40S			I-149-IND-8838	Active	G125	G125	Navajo Nation
G129	4303716097	NW	NE	29	T40S		580' FNL/1905' FEL	14-20-603-4030	Active	G129	G129	Navajo Nation
G307	4303716100	NW	SE	7	T40S	R24E		SL-067807	Active	G307	G307	Navajo Nation
G308	4303716101	NW	SE	8	T40S	R24E		I-149-IND-8834	Active	G308	G308	Navajo Nation
G317	4303716103	NW	SE	17	T40S	R24E		I-149-IND-8835	Active	G317	G317	Navajo Nation
G318	4303716104	NW	SE	18	T40S		2125' FSL/1980' FEL	I-149-IND-8835	Active	G318	G317	Navajo Nation
G320	4303716105	NW	SE	20	T40S			I-149-IND-8836	Active	G320	G320	Navajo Nation
G324	4303716111	NW	SE	24	T40S	R24E		I-149-IND-8838	Active	G324	G324	Navajo Nation
G326	4303716113	NW	SE	26	T40S			I-149-IND-8838	Active	G326	G324 G326	Navajo Nation
G415	4303716116	SW	SE	15	T40S			I-149-IND-8834	Active	G415	G326 G415	Navajo Nation
H122	4303716117	NE	NE	22	T40S			I-149-IND-8836	Active	H122	H122	Navajo Nation
H207	4303716118	SE	NE	7	T40S			SL-067807	T/A	11122	M122	Navajo Nation
H208	4303716119	SE	NE	8	T40S		2140' FNL/660' FEL	I-149-IND-8833	Active	H208	H208	State of Utah
H218	4303716120	SE	NE	18	T40S		1980' FNL/660' FEL	I-149-IND-8835	Active	H218	H218	Navajo Nation
H219	4303716121	SE	NE	19	T40S		1945' FNL/607' FEL	I-149-IND-8836	Active	H219		Navajo Nation
H221	4303716122	SE		21	T40S		1980' FNL/660' FEL	I-149-IND-8836	Active	H221		Navajo Nation
H223	4303716123	SE		23	T40S		1820' FNL/730' FEL	I-149-IND-8838	Active	H223		Navajo Nation
H225	4303716124	SE		25	T40S		1980' FNL/660' FEL	I-149-IND-8838	Active	H225		Navajo Nation
H410	4303716125	SE		10	T40S		625' FSL/545' FEL	I-149-IND-8834	P/A	11223		Navajo Nation
H422	4303716127			22	T40S	R24E	^660' FSL/660' FEL	I-149-IND-8836	P/A			Navajo Nation
H423	4303716128			23	T40S		820' FSL/450' FEL	I-149-IND-8838	Active	H423		Navajo Nation
H425	4303716129			25			660' FSL/660' FEL	I-149-IND-8838		H425		Navajo Nation
J129	4303716131			29			620' FNL/615' FWL	I-149-IND-8839	P/A	+#U		Navajo Nation
J130	4303716132		_	30				I-149-IND-8839	Shut-In	J130		Navajo Nation
J330	4303716134	NW						I-149-IND-8839	Active			Navajo Nation
K230	4303716135		NW					I-149-IND-8839	Shut-In			Navajo Nation
K430	4303716137			30				I-149-IND-8839				Navajo Nation
L330	4303716139							I-149-IND-8839				Navajo Nation
L419	4303716140							I-149-IND-8839				Navajo Nation
M230	4303716141							I-149-IND-8839				Navajo Nation
E128	4303716222	NW										Navajo Nation
F227	4303716223		NW				1980' FNL/1980' FWL		T/A			Navajo Nation
G128	4303716224	NW							Shut-In	G128		Navajo Nation
								1.20-003-2030	Jiiut-III	U120	U140	Navajo Nation

H228	4303716228	SE	NE	28	T40S	R24E	2080' FNL/560' FEL	114 20 602 2066	TT/A			15.0
A124	4303716270	NW			T40S	R23E		14-20-603-2056 SL-0701010-C	T/A	 		Navajo Nation
B123	4303716271	NE	NW	23	T40S		500 FNL/300 FWL	SL-0701010-C	Active	ļ		State of Utah
B312	4303716272	NE	SW	12	T40S	+	3295' FNL/3348' FEL	SL-070968-A	Active	B312	B312	State of Utah
B314	4303716273	NE	SW	14	T40S		2030' FSL/2030' FWL	SL-070968	Active	D312	D312	Navajo Nation
C112	4303716274	NW	NE	12	T40S		658' FNL/1974' FEL	SL-070968-A	Active P/A		 	State of Utah
C124	4303716275	NW	NE	24	T40S	R23E		SL-0701010-C	P/A		 	State of Utah
C223	4303716276	SW	NE	23	T40S	R23E		SL-0701010-C	P/A			State of Utah
D114	4303716277	NE	NE	14	T40S	R23E		SL-070968	Active			State of Utah
D212	4303716278	SE	NE	12	T40S	R23E	 	SL-070968-A	Shut-In	D212	D212	State of Utah
D413	4303716279	SE	SE	13	T40S	R23E		SL-070968-A	Active	DEIE	DZ1Z	Navajo Nation
E119	4303716280	NW	NW	19	T40S	R24E		I-149-IND-8836	Active	E119	E119	State of Utah
E207	4303716283	SW	NW	7	T40S		2030' FNL 750 FWL	1 145 1142 -0030	T/A	E207	E207	Navajo Nation
E208	4303716284	SW	NW	8	T40S		1930' FNL/500' FWL	I-149-IND-8833	T/A	LZU	E207	Navaia Nation
F116	4303716285	NE	NW	16	T40S	R24E	<u> </u>	ML-3156	Active	F116	F116	Navajo Nation Navajo Nation
F217	4303716286	SE	NW	17	T40S			I-149-IND-8835	Active	F217	F217	
F218	4303716287	SE	NW	18	T40S		1970' FNL/2060' FWL		Active	F218	F218	Navajo Nation Navajo Nation
F220	4303716288	SE	_	20	T40S				Active	F220	F220	Navajo Nation
F224	4303716289	SE		24	T40S				Active	F224	F224	Navajo Nation
F226	4303716290	SE	NW	26	T40S				Active	F226	F226	Navajo Nation
F229	4303716292	SE	NW	29	T40S		2015' FNL/1930' FWL			F229	F229	Navajo Nation
F235	4303716293	SE	NW	35	T40S		1825' FNL/2010' FWL	14-20-603-2059		F235	F235	Navajo Nation
F236	4303716294	SE	NW	36	T40S		1980' FNL/1980' FWL		Active	F236	F236	Navajo Nation
F311	4303716295	NE	SW	11	T40S		1820' FSL/1980'FWL	I-149-IND-8837	P/A			Navajo Nation
F315	4303716296	NE	SW	15	T40S	R24E	1980' FSL/2010' FWL	I-149-IND-8834	Active	F315	F315	Navajo Nation
F316	4303716297	NE	SW	16	T40S	R24E		ML-3156	Active	F316	F316	Navajo Nation
F408	4303716298	SE	SW	8	T40S	R24E	660' FSL/1980' FWL	I-149-IND-8833	Active	F408	F408	Navajo Nation
F417	4303716299	SE		17	T40S	R24E	500' FSL/2140' FWL	I-149-IND-8835	Active	F417	F417	Navajo Nation
F420	4303716300	SE		20	T40S		660' FSL/1980' FWL	I-149-IND-8836	Active	F420	F420	Navajo Nation
F425	4303716301	SE		25	T40S		795' FSL/1960' FWL	I-149-IND-8838	Active	F425	F425	Navajo Nation
F426	4303716302	SE	SW	26	T40S	R24E	632' FSL/1867' FWL	I-149-IND-8838	P/A			Navajo Nation
F434	4303716303	SE	SW	34	T40S		815' FSL/1860' FWL	14-20-603-2056	P/A			Navajo Nation
F435	4303716304	SE		35	T40S		820' FSL/1930' FWL	14-20-603-2059	T/A			Navajo Nation
G123	4303716306			23	T40S		660' FNL/1530' FEL	I-149-IND-8838	Active	G123	G123	Navajo Nation
G127	4303716307			27	T40S		660' FNL/1980' FEL	14-20-603-2056	Active	G127	G127	Navajo Nation
G319	4303716309			19	T40S			I-149-IND-8836	Active	G319	G319	Navajo Nation
H216	4303716312			16			3331' FSL/703' FEL	ML-3156	Active	H216	H216	Navajo Nation
H217	4303716313			17				I-149-IND-8833	Active	H217	H217	Navajo Nation
	4303716314							I-149-IND-8833	Active	H220	H220	Navajo Nation
	4303716316							I-149-IND-8838	Active	H226	H226	Navajo Nation
	4303716317							14-20-603-2056	Active	H227	H227	Navajo Nation
	4303716318			29				14-20-603-4030	Shut-In	H229	H229	Navajo Nation
	4303716319									H234	H234	Navajo Nation
	4303716320									H235	H235	Navajo Nation
	4303716322									H407	H407	Navajo Nation
	4303716323								Active	H408	H408	Navajo Nation
H417	4303716326	SE	SE	17	T40S	R24E	500' FSL/690' FEL	I-149-IND-8833	Active	H417	H417	Navajo Nation

[TT 440	1400054 6005	lan	lan	140	Image	In a de	COLEGE (COLEGE	1 1 40 DID 0005	14 .:	ITT 440	TY 440	15.0
H418	4303716327	SE	SE	18	T40S			I-149-IND-8835	Active	H418	H418	Navajo Nation
H419	4303716328	SE	SE	19	T40S			I-149-IND-8836	P/A	77.400	1	Navajo Nation
H420	4303716329	SE	SE	20	T40S		·	I-149-IND-8836	Active	H420	H420	Navajo Nation
H421	4303716330	SE	SE	21	T40S	R24E		I-149-IND-8836	Active	H421	H421	Navajo Nation
H424	4303716331	SE	SE	24	T40S		<u> </u>	I-149-IND-8838	Active	H424	H424	Navajo Nation
H426	4303716332	SE	SE	26	T40S	R24E	L	I-149-IND-8838	Active	H426	H426	Navajo Nation
H427	4303716333	SE	SE	27	T40S	R24E	660' FSL/660' FEL	14-20-603-2056	Active	H427	H427	Navajo Nation
K231	4303716335	SE	NW	31	T40S		2014' FNL/2054' FWL	14-20-603-372A	Active	K231	K231	Navajo Nation
M430	4303716337	SE	SE	30	T40S		<u> </u>	I-149-IND-8839	Active	M430	M430	Navajo Nation
E414	4303716421	SW	SW	14	T40S	R24E	750' FSL/620' FWL	I-149-IND-8837	Active	E414	E414	Navajo Nation
F114	4303716422	NE	NW	14	40S	24E		I-149-IND-8839	Active	F114	F114	Navajo Nation
E127	4303716782	NW	NW	27	T40S	R24E	660' FNL/660' FWL	14-20-603-2056	P/A			Navajo Nation
H416	4303720230	SE	SE	16	T40S	R24E	150' FSL/660' FEL	ML-3156	Active	H416	H416	Navajo Nation
G322X	4303720231	NW	SE	22	T40S	R24E	1550' FSL/1720' FEL	I-149-IND-8836	Active	G322X	G322X	Navajo Nation
D412	4303730049	SE	SE	12	T40S	R23E	500' FSL/150' FEL	SL-070968-A	Active	D412	D412	Navajo Nation
E316	4303730094	NW	SW	16	T40S	R24E	2190' FSL/128' FWL	ML-3156	Active	E316	E316	Navajo Nation
G321X	4303730095	NW	SE	21	T40S	R24E	1900' FSL/1755' FEL	I-149-IND-8836	Shut-In	G321X	G321X	Navajo Nation
G316	4303730107	NW	SE	16	T40S	R24E	2320' FSL/1745' FEL	ML-3156	Active	G316	G316	Navajo Nation
C312	4303730112	NW	SE	12	T40S	R23E	1610' FSL/1800' FEL	SL-070968-A	Active	C312	C312	Navajo Nation
A113	4303730119	NW	NW	13	T40S	R23E	700' FNL/650' FWL	SL-070968-A	Active			State of Utah
E218	4303730137	SW	NW	18	T40S	R24E	1860' FNL/660' FWL	SL-067807	Active	E218	E218	Navajo Nation
F118	4303730155	NE	NW	18	T40S	R24E	619' FNL/2184' FWL	SL-067807	Active	F118	F118	Navajo Nation
D113	4303730174	NE	NE	13	T40S	R23E	578' FNL/619' FEL	SL-070968-A	Active			State of Utah
E407	4303730175	SW	SW	7	T40S	R24E	618' FSL/577' FWL	SL-067807	Active	E407	E407	Navajo Nation
E315	4303730213	NW	sw	15	T40S	R24E	2212' FSL/591' FWL	I-149-IND-8834	Active	E315	E315	Navajo Nation
E122	4303730215	NW	NW	22	T40S	R24E	528' FNL/660' FWL	I-149-IND-8836	Active	E122	E122	Navajo Nation
F123	4303730235	NE	NW	23	T40S	R24E	660' FNL/2046' FWL	I-149-IND-8838	Shut-In	F123	F123	Navajo Nation
B413	4303730297	SE	SW	13	T40S	R23E	660' FSL/1980' FWL	SL-070968-A	Active			State of Utah
A313	4303730299	NW	SW	13	T40S	R23E	1840' FSL/470' FWL	SL-070968-A	Active			State of Utah
H315	4303730312	NE	SE	15	T40S	R24E	1980' FSL/660' FEL	I-149-IND-8834	Active	H315	H315	Navajo Nation
F416	4303730333	SE	SW	16	T40S	R24E	1000' FSL/1980' FWL	ML-3156	Active	F416	F416	Navajo Nation
G121X	4303730335	NW	NE	21	T40S	R24E		I-149-IND-8836	Active	G121X	G121X	Navajo Nation
G116	4303730344	NW	NE	16	T40S			ML-3156	Active	G116	G116	Navajo Nation
G126X	4303730372	NW		26	T40S			I-149-IND-8838	Active	G126X	G126X	Navajo Nation
F222	4303730373	SE		22	T40S			I-149-IND-8836	Active	F222	F222	Navajo Nation
G122	4303730425	NW		22	T40S			I-149-IND-8836	Active	G122	G122	Navajo Nation
H314X	4303731381	NE	SE	14	T40S			I-149-IND-8837	Active	H314X	H314X	Navajo Nation

OPERATOR CHANGE WORKSHEET

ROUTING
1. GLH
2. CDW

3. FILE Designation of Agent/Operator

X Change of Operator (Well Sold)

Operator Name Change

Merger

The operator of the well(s) listed below has	changed,	effecti	ve:		1	2/1/2004			
FROM: (Old Operator):				TO: (New C	perator):				
N0210-Chevron USA, Inc.				N2700-Resolute Natural Resources Company					
PO Box 4791			Broadway, S		ompany				
Houston, TX 77210-4791			r, CO 80202						
Phone: 1-(713) 752-7431				Phone: 1-(303					
CA	No.			Unit:) 334-4000	AN	VETH		
WELL(S)				CIII.		Au	WEIII		
NAME	SEC	TW	RNC	API NO	ENTITY	LEACE	WELL	WELL	
		2 111	. 1410		NO	TYPE			
NAVAJO FED 9-1 (ANETH E-208)	08	400S	240E	4303716284		Indian	TYPE WI	STATUS	
NAVAJO TRIBE E-13 (ANETH F-408)	08			4303716298		Indian	WI	A	
NAVAJO A-12/23-11 (ANETH F-311)	11	-		4303716295		Indian	WI	A	
NAVAJO TRIBAL E-8 (ANETH F-315)	15			4303716296		Indian	WI	A	
NAVAJO TRIBAL G-8 (ANETH F-217)	17			4303716286		Indian	WI	A	
NAVAJO TRIBAL G-6 (ANETH F-417)	17			4303716299		Indian	WI	A	
NAVAJO FED U 1 (ANETH F-218)	18			4303716287		Indian	WI	A	
NAVAJO FED U B-1 (ANETH E-119)	19			4303716280		Indian	WI	A	
NAVAJO TRIBE D-8 (ANETH F-220)	20	400S		4303716288		Indian	WI	A	
NAVAJO TRIBE D-20 (ANETH F-420)	20	400S		4303716288	99990		WI	A	
NAVAJO TRIBE C-1 (ANETH G-123)	23	400S		4303716306	99990			A	
NAVAJO TRIBE C-16 (ANETH F-224)	24	400S		4303716289	99990		WI	A	
NAVAJO TRIBE C-32 (ANETH F-425)	25			4303716301	99990		WI	A	
NAVAJO TRIBE C-23 (ANETH F-226)	26			4303716290	99990		WI	A	
NAVAJO TRIBE C-4 (ANETH F-426)	26	400S		4303716290			WI	A	
ANETH 27-C-1 (ANETH G-127)	27	400S		4303716307	99990 99990		WI	A	
ANETH H-228	28	400S		4303716307	99990		WI	A	
NAVAJO TRIBE S-4 (ANETH F-229)	29	400S		4303716292	99990		WI	A	
ANETH 34-B-4 (ANETH F-434)	34	400S		4303716292	99990		WI	1	
NAVAJO TRIBE Q-5 (ANETH F-235)	35	400S		4303716303			WI	A	
NAVAJO TRIBE Q-8 (ANETH F-435)	35	400S		4303716293	99990		WI	A	
NAVAJO 3 (ANETH F-236)	36	400S		4303716304	99990		WI	A	
The state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the state of the s	130	14003	240E	4303/10294	99990	Indian	WI	A	

OPERATOR CHANGES DOCUMENTATION

Enter date af	iter each listed	item is	completed
---------------	------------------	---------	-----------

(R649-8-10) Sundry or legal documentation was received from the FORMER operator on:
 (R649-8-10) Sundry or legal documentation was received from the NEW operator on:
 12/22/2004
 12/13/2004

3.	The new company was checked on the Department of	Commerce, Division of Corporat	ions Database on:	11/22/2004
	Is the new operator registered in the State of Utah:	YES Business Number:	5733505-0143	

5. If NO, the operator was contacted contacted on:

6a. (R649-9-2)Waste Management Plan has been received on:	requested
6b. Inspections of LA PA state/fee well sites complete on: 12/20/20	004

7. Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian leases	
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operator for the successor of unit operato	or wells listed on: <u>not yet</u>
 Federal and Indian Communization Agreements (The BLM or BIA has approved the operator for all wells listed 	·
10. Underground Injection Control ("UIC") The Inject, for the enhanced/secondary recovery unit/project for the vision of the secondary recovery unit/project for the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the vision of the visio	Division has approved UIC Form 5, Transfer of Authority to water disposal well(s) listed on:
DATA ENTRY:	
1. Changes entered in the Oil and Gas Database on:	12/29/2004
2. Changes have been entered on the Monthly Operator Change S	Spread Sheet on: <u>12/29/2004</u>
3. Bond information entered in RBDMS on:	<u> (6.19.p/a:5.).</u>
4. Fee/State wells attached to bond in RBDMS on:	D/article
5. Injection Projects to new operator in RBDMS on:	separate list
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	n/a
FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number:	B001263
INDIAN WELL(S) BOND VERIFICATION:	
1. Indian well(s) covered by Bond Number:	B001264
FEE & STATE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed covered	by Bond Number B001262
2. The FORMER operator has requested a release of liability from the Division sent response by letter on:	heir bond on: <u>not yet</u>
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been co of their responsibility to notify all interest owners of this change of	· · · · · · · · · · · · · · · · · · ·
COMMENTS:	